

# Is utility transferable? A revealed preference analysis

LAURENS CHERCHYE

Center for Economic Studies, University of Leuven

THOMAS DEMUYNCK

Department of Economics, University of Maastricht

BRAM DE ROCK

ECARES, Université Libre de Bruxelles

The transferable utility hypothesis underlies important theoretical results in household economics. We provide a revealed preference framework for bringing this (theoretically appealing) hypothesis to observational data. We establish revealed preference conditions that must be satisfied for observed household consumption behavior to be consistent with transferable utility. We also show that these conditions are testable by means of integer programming methods.

**KEYWORDS.** Transferable utility hypothesis, generalized quasilinearity, household consumption, nonparametric tests, revealed preferences.

**JEL CLASSIFICATION.** C14, D1, D11, D12, D13.

## 1. INTRODUCTION

Household consumption analysis takes a prominent position in the microeconomics literature. In settings with multiple household members, theoretical consumption models often assume transferable utility. As we will explain below, this assumption considerably simplifies the analysis. This paper provides a framework for bringing the (theoretically appealing) transferable utility hypothesis to empirical data. Specifically, we define the testable implications of transferable utility in revealed preference terms.

The transferable utility hypothesis is popular in household economics. It underlies important theoretical results in the modeling of household behavior. Probably the best known example here is [Becker's \(1974\)](#) rotten kid theorem; see [Bergstrom \(1989\)](#) for

---

Laurens Cherchye: [Laurens.Cherchye@kuleuven.be](mailto:Laurens.Cherchye@kuleuven.be)

Thomas Demuyck: [t.demuyck@maastrichtuniversity.nl](mailto:t.demuyck@maastrichtuniversity.nl)

Bram De Rock: [bderock@ulb.ac.be](mailto:bderock@ulb.ac.be)

We are grateful to the co-editor, Nicola Persico, and two anonymous referees, to participants of the 2011 SAET conference in Ancao (Faro), the conference on “Bounded Rationality, Revealed Preferences and Consumer Demand” in London, and the Annual Christmas Meeting of Belgian Economists in Louvain-la-Neuve for useful comments and discussion. Laurens Cherchye gratefully acknowledges financial support from the Research Fund K. U. Leuven through Grant STRT1/08/004. Bram De Rock gratefully acknowledges the European Research Council (ERC) for his Starting Grant.

Copyright © 2015 Laurens Cherchye, Thomas Demuyck, and Bram De Rock. Licensed under the [Creative Commons Attribution-NonCommercial License 3.0](http://creativecommons.org/licenses/by-nc/3.0/). Available at <http://econtheory.org>.

DOI: 10.3982/TE1560

an insightful discussion. Bergstrom (1997) provides an extensive review of (other) applications of the transferable utility hypothesis in theoretical household models. Essentially, transferable utility means that it is possible to transfer utility from one household member to another member in a lossless manner, i.e., without affecting the aggregate household utility. Under transferable utility, the frontier of the Pareto set is always a straight line of slope  $-1$ . This makes the intrahousehold distribution of resources independent of the aggregate household decisions: individual household members will always behave so as to maximize the size of the Pareto set.

The transferable utility assumption is popular because it has several highly desirable implications. First of all, it guarantees that household demand behavior displays attractive aggregation properties. In particular, any household then satisfies the so-called unitary model of household consumption, which means that aggregate household demand behaves as if it were generated by a single individual. However, as we will also discuss further on, consistency with the unitary model does not necessarily imply consistency with transferable utility, i.e., unitary household behavior is necessary but not sufficient for transferable utility. Next, the transferable utility hypothesis considerably facilitates welfare analysis. As the distribution of resources over the different household members does not influence the household decisions, welfare analysis can focus exclusively on the aggregate utility/welfare. Generally, utilizing the transferable utility hypothesis makes the life of household economists a lot easier. Nevertheless, despite its wide prevalence in theoretical work, the empirical implications of transferable utility have hardly been studied (for more details, see Section 2).

This paper fills this gap: we develop tools for investigating the empirical realism of the transferable utility hypothesis. More specifically, we establish revealed preference conditions for observed consumption behavior to be consistent with the transferable utility assumption under Pareto efficient household behavior. These conditions are easily testable as they only require observations on consumed quantities at the household level and corresponding prices; testing the conditions can use standard integer programming methods. In addition, the test is entirely nonparametric, i.e., its empirical implementation does not require a prior (typically nonverifiable) functional structure for the utility functions of the individuals in the household.<sup>1</sup>

The remainder of the paper unfolds as follows. In Section 2, we briefly recapture some important building blocks for our following analysis and we articulate our own contributions to the existing literature. Here, we will also indicate that the so-called generalized quasilinear (GQL) utility specification provides a necessary and sufficient condition for a Pareto optimal household allocation rule to be consistent with transferable utility. In Section 3, we then formally define this GQL specification. Section 4 subsequently presents the corresponding revealed preference characterization and discusses how to bring our results to the data. Finally, Section 5 concludes.

---

<sup>1</sup>In the working paper version of this paper (Cherchye et al. 2011b), we provide a first empirical test of the transferable utility hypothesis. Specifically, we apply our revealed preference conditions to data drawn from the Encuesta Continua de Presupuestos Familiares (ECPF), a Spanish consumer expenditure survey.

## 2. TESTABLE IMPLICATIONS OF TRANSFERABLE UTILITY

### 2.1 *Generalized quasilinearity*

To define the testable implications of transferable utility at the household level, we need to characterize the underlying utility functions of the individuals within the household. The best known specification leading to the property of transferable utility is the quasilinear (QL) utility specification. This specification requires the utility functions of the individuals to be linear in at least one good, usually called the numeraire. Unfortunately, QL utility has strong and unrealistic implications (e.g., absence of income effects for all but a single good, risk neutrality, etc.).

In the presence of public goods, Bergstrom and Cornes (1981, 1983) and Bergstrom (1989) showed that a weaker form than QL utility equally implies transferable utility, i.e., generalized quasilinear utility (a term coined by Chiappori 2010).<sup>2</sup> Interestingly, these authors also showed that this GQL specification provides a necessary and sufficient condition for transferable utility under Pareto efficient household behavior. The GQL form can be obtained from the QL specification through multiplication of the numeraire by a function defined in terms of the bundle of (intra)household public goods. The additional requirement that this function is common to all individuals within the household provides the property of transferable utility. As households typically consume a large amount of public goods, this characterization of transferable utility is particularly convenient in household settings.

Recently, Chiappori (2010) derived a set of necessary and sufficient conditions on the (aggregate) household demand function such that it is compatible with a Pareto efficient allocation where household members are endowed with GQL utility functions. As far as we know, this is the first (and—until now—sole) study that makes the testable implications of transferable utility explicit. In view of our following exposition, we note that Chiappori adopted a so-called differential approach to characterizing GQL utility: he focused on testable (differential) properties of the household demand function to be consistent with transferable utility. Practical applications of this differential approach then typically require a prior parametric specification of this demand function, which is to be estimated from the data. As we will indicate below, this implies a most notable difference with the approach that we follow here.

### 2.2 *Revealed preference implications*

We complement Chiappori's findings by establishing testable conditions of transferable utility (or GQL utility) in the revealed preference tradition of Samuelson (1938),

---

<sup>2</sup>As a bibliographic note, we indicate that the origins of these authors' work date back to Gorman's (1961) seminal contribution on the aggregation of indirect utility functions defined over private goods, hereby introducing the notion of what is currently known as Gorman polar form preferences. Bergstrom and Varian (1985) applied Gorman's analysis to the case of transferable utility in markets with private goods. Bergstrom and Cornes (1981, 1983) and Bergstrom (1989) used duality theory to extend Gorman's aggregation theorem to the case of transferable utility with public goods. Recently, Cherchye et al. (2012) established a revealed preference characterization of Gorman's original aggregation conditions for private goods (including Gorman polar form preferences). Given the above, this last characterization can thus be seen as complementary ("dual") to the revealed preference characterization of transferable utility that we develop here.

Houthakker (1950), Afriat (1967), Diewert (1973), and Varian (1982). In contrast to the differential approach, this revealed preference approach obtains conditions that can be verified by (only) using a finite set of household consumption observations (i.e., prices and quantities) and, thus, it does not require the estimation of a household demand function. As such, a main advantage of these revealed preference conditions is that they allow a nonparametric analysis of the data: they do not impose any functional form on the utility function (generating a particular household demand function) except for usual regularity conditions.

More specifically, we get necessary and sufficient conditions that enable checking consistency of a given data set with transferable utility. In the spirit of Varian (1982), we refer to this as “testing” data consistency with transferable utility. As for the practical application of this test, we also show that our revealed preference conditions can be equivalently reformulated as integer programming constraints. This integer programming formulation allows us to test data consistency with transferable utility by applying standard integer programming solution techniques.

### 2.3 Remarks

At this point, it is worth indicating one further important difference between our study and the original study of Chiappori (2010). To establish his characterization, Chiappori assumed observability of the numeraire good. However, in practice this numeraire good is typically an “outside” good, i.e., the amount of money not spent on observed consumption, which is usually not recorded in real-life applications. Given this, our following revealed preference analysis will principally focus on characterizing transferable utility for the case with an unobserved numeraire (or outside good). To obtain this characterization, we will first have to establish the characterization that applies to an observed numeraire.

As a final remark, we indicate that Brown and Calsamiglia (2007) developed a revealed preference characterization of the QL utility specification. By focusing on the GQL utility form, we provide revealed preference conditions for a model that contains this QL specification as a special case.

## 3. GENERALIZED QUASILINEAR UTILITY

Consider a household with  $M$  ( $\geq 2$ ) members. Each member  $m$  ( $\leq M$ ) consumes a bundle of  $N + 1$  private goods  $(\mathbf{q}^m, x^m) \in \mathbb{R}_+^{N+1}$  and a bundle of  $K$  public goods  $\mathbf{Q} \in \mathbb{R}_+^K$ . The private good  $x^m$  denotes member  $m$ 's amount of the numeraire. For each  $m$ , we assume  $x^m > 0$  in what follows.<sup>3</sup> In addition, we normalize by setting the price of the numeraire equal to 1. Next, the vector  $\mathbf{p} \in \mathbb{R}_{++}^N$  represents the normalized price vector for the bundle of private goods  $\mathbf{q}^m$ , while the vector  $\mathbf{P} \in \mathbb{R}_{++}^K$  is the normalized price vector for the bundle of public goods  $\mathbf{Q}$ .

<sup>3</sup>Admittedly, this assumption may seem strong from an empirical point of view. However, similar to quasilinearity, it is a necessary condition to obtain transferable utility. Specifically, if  $x^m = 0$  in (1), then  $u^m(\mathbf{q}^m, 0, \mathbf{Q}) = b^m(\mathbf{Q}, \mathbf{q}^m)$ , which gives a nontransferable utility function. In this respect, it is also worth emphasizing that we do not impose any strict positivity restriction on goods different from the numeraire.

The utility of member  $m$  is represented by the strictly increasing and quasiconcave utility function  $u^m(\mathbf{q}^m, x^m, \mathbf{Q})$ . The utility functions  $u^m$  are said to be of the GQL form if there exist a (member-specific) function  $b^m: \mathbb{R}_+^{K+N} \rightarrow \mathbb{R}$  and a (common) function  $a: \mathbb{R}_+^K \rightarrow \mathbb{R}_{++}$  such that

$$u^m(\mathbf{q}^m, x^m, \mathbf{Q}) = a(\mathbf{Q})x^m + b^m(\mathbf{Q}, \mathbf{q}^m). \quad (1)$$

Bergstrom and Cornes (1983) have shown that member-specific GQL utilities are necessary and sufficient for transferable utility under Pareto efficient household behavior.<sup>4</sup>

The GQL specification encompasses the QL specification as a special case. Specifically, if  $a(\mathbf{Q}) = a$  for all  $\mathbf{Q}$  (i.e., the function value  $a(\mathbf{Q})$  is everywhere the same), then the specification in (1) coincides with the QL specification:

$$u^m(\mathbf{q}^m, x^m, \mathbf{Q}) = ax^m + b^m(\mathbf{Q}, \mathbf{q}^m).$$

However, if  $a(\mathbf{Q})$  varies with the level of public goods, then the GQL specification vastly expands the range of utility functions compatible with transferable utility.

We assume that household decisions are made according to the Pareto criterion: allocations are chosen such that no member can be made better off without reducing the utility of some other household member.<sup>5</sup> In this case, any equilibrium allocation  $(\mathbf{q}^1, \dots, \mathbf{q}^M, x^1, \dots, x^M, \mathbf{Q})$  minimizes total household expenditures subject to the constraint that every member of the household receives at least some predefined level of utility  $\bar{u}^m$ . In other words, given a fixed vector of utility levels  $(\bar{u}^1, \dots, \bar{u}^M) \in \mathbb{R}_+^M$ , Pareto efficiency imposes that the household decision making process solves the optimization problem

$$\begin{aligned} \min_{(\mathbf{q}^1, \dots, \mathbf{q}^M, x^1, \dots, x^M, \mathbf{Q}) \in \mathbb{R}_+^{M(N+1)+K}} & \sum_{m=1}^M x^m + \sum_{m=1}^M \mathbf{p}\mathbf{q}^m + \mathbf{P}\mathbf{Q} \\ \text{s.t.} & a(\mathbf{Q})x^m + b^m(\mathbf{Q}, \mathbf{q}^m) \geq \bar{u}^m \quad (\forall m \leq M). \end{aligned} \quad (\text{OP.1})$$

In view of our following analysis, we develop an equivalent formulation of (OP.1).<sup>6</sup> To obtain the formulation, we first observe that each constraint will be binding in the solution of (OP.1) because the utility functions  $u^m$  are strictly increasing. Using this, and because  $x^m > 0$  for all  $m$ , we can substitute the restrictions in the objective function. As a

<sup>4</sup>See also Browning et al. (2014, p. 276) for a detailed discussion of this functional specification.

<sup>5</sup>See Chiappori (1988) and Cherchye et al. (2007, 2009, 2011a) for revealed preference tests of the assumption of Pareto optimality without the additional assumption of transferable utility. As is clear from the restrictions in optimization problem (OP.1), transferable utility imposes a specific structure on individual utilities on top of Pareto efficiency. This extra structure plays a crucial role for our subsequent revealed preference characterization, which is substantially different (i.e., more restrictive) from the characterization of Pareto efficiency in the above-mentioned references.

<sup>6</sup>It can be shown that the functions  $a$  and  $b^m$  in (OP.1) are in general not concave. This makes it difficult to derive a revealed preference characterization of transferable utility directly from (OP.1). By contrast, as we explain below, the functions  $\alpha$  and  $\beta^m$  in (OP.2) are convex and concave, respectively, and these properties will be crucial to obtain our revealed preference characterizations in Propositions 1 and 2.

result, we can equivalently reformulate the original optimization problem as

$$\min_{(\mathbf{q}^1, \dots, \mathbf{q}^M, \mathbf{Q}) \in \mathbb{R}_+^{MN+K}} \alpha(\mathbf{Q}) \sum_{m=1}^M \bar{u}^m - \sum_{m=1}^M \beta^m(\mathbf{q}^m, \mathbf{Q}) + \sum_{m=1}^M \mathbf{p} \mathbf{q}^m + \mathbf{P} \mathbf{Q}, \quad (\text{OP.2})$$

$$\text{with } \alpha(\mathbf{Q}) = \frac{1}{a(\mathbf{Q})} \text{ and } \beta^m(\mathbf{q}^m, \mathbf{Q}) = \frac{b^m(\mathbf{q}^m, \mathbf{Q})}{a(\mathbf{Q})} \quad (\forall m \leq M).$$

From this equivalent formulation, it is directly clear that the optimal solution of problem (OP.1) only depends on the total amount of utility  $\sum_m^M \bar{u}^m$ , but not on the specific distribution of this amount over the different household members. This demonstrates the property of transferable utility under GQL.

Standard first order conditions characterize the (interior) solutions of problem (OP.2) if the function  $\alpha$  is convex and the functions  $\beta^m$  are concave. Bergstrom and Cornes (1983) showed that these requirements are equivalent to the condition that the utility functions  $u^m$  are quasiconcave (which we assumed before). Next, it is easy to verify that  $\alpha$  is decreasing in  $\mathbf{Q}$  while the  $\beta^m$  are increasing in  $\mathbf{q}$ . If we further assume that  $b^m$  and  $a$  are bounded from below and  $a$  is strictly positive, then  $\beta^m$  is also increasing in  $\mathbf{Q}$ .<sup>7</sup> For an optimal solution  $(\mathbf{q}^{1*}, \dots, \mathbf{q}^{M*}, x^{1*}, \dots, x^{M*}, \mathbf{Q}^*)$  of problem (OP.2), the first order conditions are<sup>8</sup>

$$-\frac{\partial \alpha(\mathbf{Q}^*)}{\partial \mathbf{Q}} \sum_{m=1}^M \bar{u}^m + \sum_{m=1}^M \frac{\partial \beta^m(\mathbf{q}^{m*}, \mathbf{Q}^*)}{\partial \mathbf{Q}} = \mathbf{P} \quad (\text{foc.1})$$

$$\frac{\partial \beta^m(\mathbf{q}^{m*}, \mathbf{Q}^*)}{\partial \mathbf{q}^m} = \mathbf{p} \quad (\text{foc.2})$$

$$\frac{x^{m*}}{\alpha(\mathbf{Q}^*)} + \frac{\beta(\mathbf{q}^{m*}, \mathbf{Q}^*)}{\alpha(\mathbf{Q}^*)} = \bar{u}^m. \quad (\text{foc.3})$$

Conditions (foc.1) and (foc.2) provide a formal expression of the household's marginal decision rules for the public and private goods, respectively. Next, condition (foc.3) complies with the GQL utility specification in (1). The first order conditions (foc.1)–(foc.3) provide a useful starting point for developing our revealed preference characterization in the next section.

#### 4. REVEALED PREFERENCE CHARACTERIZATION

We analyze the (aggregate) consumption behavior of a household with  $M$  individuals, by starting from a finite set  $T$  of observed household choices. For each observation  $t \in T$ , we know the privately and publicly consumed quantities  $\mathbf{q}_t$  and  $\mathbf{Q}_t$ , as well as the corresponding prices  $\mathbf{p}_t$  and  $\mathbf{P}_t$ . Note that we only observe the aggregate private quantities  $\mathbf{q}_t$  and not the member-specific quantities  $\mathbf{q}_t^m$ . In a first instance, we assume that the

<sup>7</sup>We can show this by contradiction. Assume that  $\beta^m$  is nonincreasing in  $\mathbf{Q}$  at some bundle. Then, concavity of  $\beta^m$  implies that  $\beta^m$  is unbounded from below. However, as  $a$  is strictly positive for all  $\mathbf{Q}$ , this means that  $b^m$  must be unbounded from below, which gives the wanted contradiction. We thank Phil Reny for pointing this out to us.

<sup>8</sup>If  $\alpha$  or  $\beta$  is not differentiable, we may take the sub- and superdifferentials that satisfy the corresponding first order conditions. The same applies to the proof of Proposition 1.

aggregate amount of the numeraire (outside) good at every  $t$  (i.e.,  $x_t$ ) is also observed (again we assume that the member-specific quantities  $x_t^m$  are not observed). We will relax this assumption later on. As discussed before, we believe an unobserved numeraire is a more realistic assumption for real-life applications.

#### 4.1 Numeraire observed

If the consumption of the numeraire is observed, then the relevant data set is  $S = \{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$ . In what follows, we present necessary and sufficient conditions for the set  $S$  to be rationalizable in terms of GQL utility functions, i.e., there exist functions  $\alpha$  and  $\beta^m$  so that each bundle  $(x_t, \mathbf{q}_t, \mathbf{Q}_t)$  ( $t \in T$ ) leads to a solution for (OP2). This provides a characterization of transferable utility in the revealed preference tradition. Our starting definition is the following.

**DEFINITION 1** (TU-rationalizability). The data set  $S = \{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$  is *transferable utility rationalizable* (TU-rationalizable) if (i) there exist a convex and decreasing function  $\alpha: \mathbb{R}_+^K \rightarrow \mathbb{R}$ , and  $M$  concave and increasing functions  $\beta^m: \mathbb{R}_+^{N+K} \rightarrow \mathbb{R}^N$ , and (ii) for each  $t$ , there exist private consumption bundles  $\mathbf{q}_t^1, \dots, \mathbf{q}_t^M$  that sum to  $\mathbf{q}_t$  and strictly positive numbers  $x_t^1, \dots, x_t^M$  that sum to  $x_t$  such that  $\{\mathbf{q}_t^1, \dots, \mathbf{q}_t^M, \mathbf{Q}_t\}$  solves (OP2) given the prices  $\mathbf{p}_t$  and  $\mathbf{P}_t$ , and utility levels  $\bar{u}_t^m = \frac{x_t^m}{\alpha(\mathbf{Q}_t)} + \frac{\beta^m(\mathbf{q}_t^m, \mathbf{Q}_t)}{\alpha(\mathbf{Q}_t)}$ .

Of course, the above definition could equally well have been stated by using the functions  $a$  and  $b^m$ , and by referring to program (OP1). We opt for the current statement to enhance the interpretation of the revealed preference characterization below.

It follows from [Definition 1](#) that the concept of TU-rationalizability implicitly depends on the number of individuals within the household. However, as the following result shows, this qualification is actually irrelevant in view of practical applications: it is empirically impossible to distinguish between different household sizes; there exists a rationalization of the set  $S$  in terms of a single individual (i.e.,  $M = 1$ ) if and only if there exists one in terms of any number of individuals. More specifically, we can prove the following result.<sup>9</sup>

**PROPOSITION 1.** Consider a data set  $S = \{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$ . The following statements are equivalent:

- (i) The data set  $S$  is TU-rationalizable for a household of  $M$  individuals.
- (ii) The data set  $S$  is TU-rationalizable for a household of a single individual.
- (iii) For all  $t \in T$ , there exist  $\alpha_t \in \mathbb{R}_{++}$ ,  $\beta_t, \bar{u}_t \in \mathbb{R}_+$ ,  $\lambda_t^\alpha \in \mathbb{R}_-^K$ , and  $\lambda_t^\beta \in \mathbb{R}_{++}^K$  such that, for all  $t, v \in T$ ,

$$\alpha_t - \alpha_v \geq \lambda_v^\alpha (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.1})$$

$$\beta_t - \beta_v \leq \mathbf{p}_v (\mathbf{q}_t - \mathbf{q}_v) + \lambda_v^\beta (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.2})$$

<sup>9</sup>[Appendix A](#) contains the proofs of our main results.

$$\boldsymbol{\lambda}_t^\beta - \boldsymbol{\lambda}_t^\alpha \bar{u}_t = \mathbf{P}_t \quad (\text{RP.3})$$

$$\bar{u}_t = \frac{x_t}{\alpha_t} + \frac{\beta_t}{\alpha_t}. \quad (\text{RP.4})$$

The equivalence between statements (i) and (ii) demonstrates the aggregation property of the transferable utility assumption that we mentioned above: if a data set is TU-rationalizable for a household of  $M$  individuals, then it is rationalizable for a single individual (endowed with a GQL utility function) and vice versa.<sup>10</sup> Statement (iii) then provides the combinatorial conditions that characterize the collection of data sets that are TU-rationalizable. The first two conditions ((RP.1) and (RP.2)) define so-called Afriat inequalities that apply to our specific setting. In terms of Definition 1, these inequalities correspond to, respectively, the (convex) function  $\alpha$  and the (concave) function  $\beta$  (where we drop the index  $m$  because of the equivalence between statements (i) and (ii)). The vectors  $\boldsymbol{\lambda}_t^\alpha$  and  $\boldsymbol{\lambda}_t^\beta$  then represent the gradient vectors of these functions in terms of the public goods bundle. Finally, the conditions (RP.3) and (RP.4) give the revealed preference counterparts of the first order conditions (foc.1) and (foc.3) that we discussed in the previous section.

#### 4.2 Numeraire unobserved

In real-life applications the amount of the numeraire good is usually not observed. For example, this will also be the case in our own application. The relevant data set is then given as  $S = \{\mathbf{p}_t, \mathbf{P}_t; \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$ .

Interestingly, the result in Proposition 1 enables us to establish a characterization of transferable utility for such a data set  $S$ . Specifically, we can derive the following result.

**PROPOSITION 2.** *Consider a data set  $S = \{\mathbf{p}_t, \mathbf{P}_t; \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$ . The following statements are equivalent:*

- (i) *For all  $t \in T$ , there exist  $x_t \in \mathbb{R}_{++}$  such that  $\{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$  is TU-rationalizable for a household of  $M$  individuals (or, equivalently, a single individual).*
- (ii) *For all  $t \in T$ , there exist  $U_t^A, U_t^B \in \mathbb{R}_+$ ,  $\lambda_t^A \in \mathbb{R}_{++}$ ,  $\mathbf{P}_t^A \in \mathbb{R}_+^K$ , and  $\mathbf{P}_t^B \in \mathbb{R}_{++}^K$  such that, for all  $t, v \in T$ ,*

$$U_t^A - U_v^A \leq \lambda_t^A [\mathbf{P}_v^A (\mathbf{Q}_t - \mathbf{Q}_v)] \quad (\text{RP.5})$$

$$U_t^B - U_v^B \leq \mathbf{p}_v (\mathbf{q}_t - \mathbf{q}_v) + \mathbf{P}_v^B (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.6})$$

$$\mathbf{P}_t^A + \mathbf{P}_t^B = \mathbf{P}_t. \quad (\text{RP.7})$$

When compared to the characterization in Proposition 1, the conditions (RP.5), (RP.6), and (RP.7) in Proposition 2 correspond to (RP.1), (RP.2), and (RP.3), respectively. We refer to the proof of the result for an explicit construction. This proof also shows that for each observation  $t$ , we can always construct a numeraire quantity  $x_t$  that meets condition (RP.4) if the data satisfy (RP.5)–(RP.7).

<sup>10</sup>Chiappori (2010) obtained a similar result in his differential setting.



As we motivated before, we believe that the empirically interesting setting is the one where the quantity of the numeraire good is not observed. The conditions (RP.6) and (RP.7) in Proposition 2 are linear and therefore easily verifiable, while the Afriat inequalities in condition (RP.5) are quadratic (i.e., nonlinear in the unknown  $\lambda_t$ 's and  $\mathbf{P}_t^A$ 's). From a practical point of view, this nonlinearity makes it difficult to empirically verify the characterization in Proposition 2. However, in Appendix B, we show that these Afriat inequalities can be equivalently restated in terms of linear (mixed) binary integer programming constraints.

### 4.3 Nested models

To conclude this section, we discuss the relationship between the transferable utility conditions developed above and closely related rationalizability conditions that have been considered in the revealed preference literature. Specifically, we make explicit how the transferable utility model is situated “between” the QL utility model and the unitary model. This further clarifies the interpretation of our revealed preference characterization of transferable utility.

As a first exercise, we recall from the previous section that QL utility imposes that the function value  $\alpha(\mathbf{Q})$  is constant for all  $\mathbf{Q}$ . In terms of the characterization in Proposition 1, this means that the gradient vector  $\lambda_t^\alpha$  equals 0. One can then easily verify that the conditions (RP.1)–(RP.4) reduce to

$$\beta_t - \beta_v \leq \mathbf{p}_t(\mathbf{q}_t - \mathbf{q}_v) + \mathbf{P}_t(\mathbf{Q}_t - \mathbf{Q}_v). \quad (\text{RP.8})$$

This condition is necessary and sufficient for data consistency with the QL utility specification.<sup>11</sup> We observe that the QL condition (RP.8) is independent of the level of the numeraire ( $x_t$ ), which implies a notable difference with our above characterization of GQL utility. In fact, this independence is also revealed by the fact that the conditions (RP.5)–(RP.7) in Proposition 2 equally coincide with (RP.8) if we set  $\mathbf{P}_t^A$  equal to zero for all  $t \in T$  (which has a similar meaning as  $\lambda_t^\alpha = \mathbf{0}$  in Proposition 1).

Next, it directly follows from statement (ii) in Proposition 1 that the transferable utility model is nested in the unitary model. In fact, in Appendix C we show that conditions (RP.1)–(RP.4) automatically require that the data satisfy the generalized axiom of revealed preference (GARP), which is necessary and sufficient for data consistency with the unitary model (Varian 1982). In other words, if a household data set is TU-rationalizable, then the household acts as a single individual. However, a household may well behave as if it were a single decision maker without satisfying transferable utility. In this sense, our revealed preference conditions in Propositions 1 and 2 capture the *additional* restrictions that observed consumption behavior must satisfy for the transferable utility assumption to hold. Our conditions effectively allow for bringing these specific restrictions of TU-rationalizability to empirical data.

In this respect, one further point relates to Proposition 2. This result makes clear that transferable utility has testable implications even if the numeraire good is not observed.

<sup>11</sup>In fact, condition (RP.8) is equivalent to the revealed preference condition that Brown and Calsamiglia (2007) originally derived for data consistency with the QL specification.

By contrast, following a revealed preference approach similar to ours, [Varian \(1988\)](#) has shown that the unitary model does not have any testable implications as soon as we do not observe the consumption quantity of some good (in this case the numeraire quantity  $x_t$ ). We believe this is an interesting observation, as it suggests that considering the transferable utility model may be empirically meaningful even if the unitary model is nontestable.

## 5. CONCLUSION

We have presented revealed preference conditions that must be satisfied by observed behavior to be consistent with transferable utility (or GQL utility) under Pareto efficiency. These conditions are easily verified by using integer programming techniques, which is attractive from a practical point of view. This provides an easy-to-apply framework for evaluating the empirical realism of the transferable utility hypothesis in observational settings. As a side result, our theoretical discussion also made clear how the transferable utility model is situated between the quasilinear and unitary models: its (revealed preference) testable implications are weaker than the QL implications but stronger than the unitary implications.

### APPENDIX A: PROOFS

#### *Proof of Proposition 1*

(ii)  $\rightarrow$  (iii). By convexity of the function  $\alpha(\mathbf{Q})$  and concavity of the function  $\beta(\mathbf{q}, \mathbf{Q})$ , we must have that for all observations  $t, v \in T$ ,

$$\alpha(\mathbf{Q}_t) - \alpha(\mathbf{Q}_v) \geq \frac{\partial \alpha(\mathbf{Q}_v)}{\partial \mathbf{Q}} (\mathbf{Q}_t - \mathbf{Q}_v)$$

$$\beta^m(\mathbf{q}_t, \mathbf{Q}_t) - \beta^m(\mathbf{q}_v, \mathbf{Q}_v) \leq \frac{\partial \beta(\mathbf{q}_v, \mathbf{Q}_v)}{\partial \mathbf{q}} (\mathbf{q}_t - \mathbf{q}_v) + \frac{\partial \beta(\mathbf{q}_v, \mathbf{Q}_v)}{\partial \mathbf{Q}} (\mathbf{Q}_t - \mathbf{Q}_v).$$

For all  $t \in T$ , define  $\alpha_t = \alpha(\mathbf{Q}_t)$ ,  $\beta_t = \beta(\mathbf{q}_t, \mathbf{Q}_t)$ ,  $\bar{u}_t = u(x_t, \mathbf{q}_t, \mathbf{Q}_t)$ ,  $\lambda_t^\alpha = \frac{\partial \alpha(\mathbf{Q}_t)}{\partial \mathbf{Q}}$ , and  $\lambda_t^\beta = \frac{\partial \beta(\mathbf{q}_t, \mathbf{Q}_t)}{\partial \mathbf{Q}}$ . Then substituting and using the first order conditions (foc.1)–(foc.3), we obtain conditions (RP.1)–(RP.4).

(i)  $\rightarrow$  (iii). The proof is similar to the case (ii)  $\rightarrow$  (iii) except now we define  $\beta_t = \sum_m \beta^m(\mathbf{q}_t^m, \mathbf{Q}_t)$  and  $\lambda_t^\beta = \sum \frac{\partial \beta(\mathbf{q}_t^m, \mathbf{Q}_t)}{\partial \mathbf{Q}}$ .

(iii)  $\rightarrow$  (ii). Define the functions  $\alpha(\mathbf{Q})$  and  $\beta(\mathbf{q}, \mathbf{Q})$  in the manner

$$\alpha(\mathbf{Q}) = \max_{t \in T} \{\alpha_t + \lambda_t^\alpha (\mathbf{Q} - \mathbf{Q}_t)\} \tag{A.1}$$

$$\beta(\mathbf{q}, \mathbf{Q}) = \min_{t \in T} \{\beta_t + \mathbf{p}_t (\mathbf{q} - \mathbf{q}_t) + \lambda_t^\beta (\mathbf{Q} - \mathbf{Q}_t)\}. \tag{A.2}$$

Define  $u(x, \mathbf{q}, \mathbf{Q}) = \frac{x}{\alpha(\mathbf{Q})} + \frac{\beta(\mathbf{q}, \mathbf{Q})}{\alpha(\mathbf{Q})}$ .

The function  $\alpha$  is convex and  $\beta$  is concave, hence  $u$  is quasiconcave. Furthermore, it is increasing in both  $\mathbf{q}$  and  $\mathbf{Q}$ . Finally, using a similar argument as [Varian \(1982, p. 970\)](#), we can derive that  $\alpha(\mathbf{Q}_t) = \alpha_t$  and  $\beta(\mathbf{q}_t, \mathbf{Q}_t) = \beta_t$  for all  $t \in T$ .

Given all this, we can prove the result ad absurdum. Suppose that  $S$  is not TU-rationalizable. Then there must exist an allocation  $\{x, \mathbf{q}, \mathbf{Q}\}$  such that  $x + \mathbf{p}_t \mathbf{q} + \mathbf{P}_t \mathbf{Q} < x_t + \mathbf{p}_t \mathbf{q}_t + \mathbf{P}_t \mathbf{Q}_t$  and  $u(x, \mathbf{q}, \mathbf{Q}) \geq u(x_t, \mathbf{q}_t, \mathbf{Q}_t) = \bar{u}_t$ . We thus get

$$\begin{aligned} x + \mathbf{p}_t \mathbf{q} + \mathbf{P}_t \mathbf{Q} &\geq \bar{u}_t \alpha(\mathbf{Q}) - \beta(\mathbf{q}, \mathbf{Q}) + \mathbf{p}_t \mathbf{q} + \mathbf{P}_t \mathbf{Q} \\ &\geq \bar{u}_t \alpha_t - \beta_t + (\lambda_t^\alpha \bar{u}_t - \lambda_t^\beta)(\mathbf{Q} - \mathbf{Q}_t) - \mathbf{p}_t(\mathbf{q} - \mathbf{q}_t) + \mathbf{p}_t \mathbf{q} + \mathbf{P}_t \mathbf{Q} \\ &= x_t + \mathbf{p}_t \mathbf{q}_t + \mathbf{P}_t \mathbf{Q}_t, \end{aligned}$$

which gives the wanted contradiction. (The first inequality combines  $u(x, \mathbf{q}, \mathbf{Q}) = (x/\alpha(\mathbf{Q})) + (\beta(\mathbf{q}, \mathbf{Q})/\alpha(\mathbf{Q}))$  with  $u(x, \mathbf{q}, \mathbf{Q}) \geq \bar{u}_t$ , the second inequality uses (A.1) and (A.2), and the final equality uses (RP3) and (RP4).)

(iii)  $\rightarrow$  (i). The argument is similar to the one for (iii)  $\rightarrow$  (ii) when using the additional definition  $\beta^m(\mathbf{q}^m, \mathbf{Q}) = (1/M)\beta(M\mathbf{q}^m, \mathbf{Q})$ . Then, for all  $t \in T$  and  $m \leq M$ , we set  $\mathbf{q}_t^m = \mathbf{q}_t/M$  and  $x_t^m = x_t/M$ .

### *Proof of Proposition 2*

(i)  $\rightarrow$  (ii). Assume that there exist numbers  $x_t$  such that  $\{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$  is TU-rationalizable. Then it follows from Proposition 1 that there exist positive numbers  $\alpha_t, \beta_t$ , and  $\bar{u}_t$ , and vectors  $\lambda_t^\alpha \in \mathbb{R}_-^K$  and  $\lambda_t^\beta \in \mathbb{R}_{++}^K$  such that

$$\alpha_t - \alpha_v \geq \lambda_v^\alpha (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.1})$$

$$\beta_t - \beta_v \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \lambda_v^\beta (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.2})$$

$$\lambda_t^\beta - \lambda_t^\alpha \bar{u}_t = \mathbf{P}_t \quad (\text{RP.3})$$

$$\bar{u}_t = \frac{x_t}{\alpha_t} + \frac{\beta_t}{\alpha_t}. \quad (\text{RP.4})$$

For all  $t \in T$ , setting  $\beta_t = U_t^B$ ,  $\lambda_t^\beta = \mathbf{P}_t^B$ , and  $\mathbf{P}_t^A = -\lambda_t^\alpha \bar{u}_t$  translates conditions (RP.2) and (RP.3) into conditions (RP.6) and (RP.7). So we only need to demonstrate condition (RP.5).

Multiplying (RP.1) by  $-1$  gives

$$-\alpha_t - (-\alpha_v) \leq \frac{1}{\bar{u}_t} \mathbf{P}_v^A (\mathbf{Q}_t - \mathbf{Q}_v).$$

Given this, setting  $\lambda_t^A = 1/\bar{u}_t > 0$  and  $U_t^A = -\alpha_t - \min_v \{-\alpha_v\} \geq 0$  establishes condition (RP.5).

(ii)  $\rightarrow$  (i). Assume that there exist numbers  $U_t^A, U_t^B$ , and  $\lambda_t^A$ , and vectors  $\mathbf{P}_v^A$  and  $\mathbf{P}_v^B$  such that

$$U_t^A - U_v^A \leq \lambda_t^A [\mathbf{P}_v^A (\mathbf{Q}_t - \mathbf{Q}_v)] \quad (\text{RP.5})$$

$$U_t^B - U_v^B \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \mathbf{P}_v^B (\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{RP.6})$$

$$\mathbf{P}_t^A + \mathbf{P}_t^B = \mathbf{P}_t. \quad (\text{RP.7})$$

First, by setting, for all  $t \in T$ ,  $\beta_t = U_t^B$  and  $\lambda_t^\beta = \mathbf{P}_t^B$ , we derive (RP.2).

Next, we define  $\bar{u}_t = 1/\lambda_t^A$  and  $\mathbf{P}_t^A/\bar{u}_t = -\boldsymbol{\lambda}_t^\alpha$ . Substitution in condition (RP.7) gives condition (RP.3).

Further, multiplying (RP.5) by  $-1$  gives

$$-U_t^A - (-U_v^A) \geq \boldsymbol{\lambda}_t^\alpha(\mathbf{Q}_t - \mathbf{Q}_v). \quad (\text{A.3})$$

As  $\bar{u}_t > 0$ , there exists a number  $\delta > 0$  such that  $\bar{u}_t > \delta$  for all  $t \in T$ . Now consider a number  $z \in \mathbb{R}_{++}$  and define  $\alpha_t$  such that (i)  $\alpha_t \equiv -U_t^A + z > 0$  ( $\forall t \in T$ ) and (ii)  $0 < \beta_t/\alpha_t \leq \delta$ . These conditions can be guaranteed by taking  $z$  large enough. Using this definition of  $\alpha_t$  in condition (A.3) above gives condition (RP.1).

Finally, we define  $x_t$  such that

$$x_t \equiv \alpha_t \bar{u}_t - \beta_t > 0,$$

which obtains condition (RP.4).

#### APPENDIX B: INTEGER PROGRAMMING FORMULATION

To obtain an integer programming formulation of our characterization in Proposition 2 we make use of Afriat's theorem (see Varian 1982, based on Afriat 1967). Specifically, it follows from this theorem that the set  $Z = \{\mathbf{P}_t^A; \mathbf{Q}_t\}_{t \in T}$  satisfies the Afriat inequalities in (RP.5) if and only if  $Z$  satisfies the generalized axiom of revealed preference, which is stated as follows.

**DEFINITION 2.** For any  $t, v \in T$ ,  $\mathbf{Q}_t R \mathbf{Q}_v$  if  $\mathbf{P}_t^A \mathbf{Q}_t \geq \mathbf{P}_t^A \mathbf{Q}_v$ . Next,  $\mathbf{Q}_t R \mathbf{Q}_v$  if there exists a sequence  $k, \dots, l$  (with  $k, \dots, l \in T$ ) such that  $\mathbf{Q}_t R \mathbf{Q}_k, \dots, \mathbf{Q}_l R \mathbf{Q}_v$ . The set  $Z$  satisfies GARP if, for all  $t, v \in T$ ,  $\mathbf{Q}_t R \mathbf{Q}_v$  implies  $\mathbf{P}_v^A \mathbf{Q}_t \geq \mathbf{P}_v^A \mathbf{Q}_v$ . We refer to  $R$  as a revealed preference relation.

We now have the following result, which makes use of the binary variables  $r_{t,v}$ .

**PROPOSITION 3.** Consider a data set  $S = \{\mathbf{p}_t, \mathbf{P}_t; \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$ . The following statements are equivalent:

- (i) For all  $t \in T$ , there exist  $x_t \in \mathbb{R}_{++}$  such that  $\{\mathbf{p}_t, \mathbf{P}_t; x_t, \mathbf{q}_t, \mathbf{Q}_t\}_{t \in T}$  is TU-rationalizable for a household of  $M$  individuals (or, equivalently, a single individual).
- (ii) For all  $t, v \in T$ , there exist  $r_{t,v} \in \{0, 1\}$ ,  $U_t^A, U_t^B \in \mathbb{R}_+$ ,  $\mathbf{P}_t^A \in \mathbb{R}_+^K$ , and  $\mathbf{P}_t^B \in \mathbb{R}_{++}^K$  such that, for all  $t, v, s \in T$ ,

$$U_t^B - U_v^B \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \mathbf{P}_v^B(\mathbf{Q}_t - \mathbf{Q}_v) \quad (\text{IP.1})$$

$$\mathbf{P}_t^A + \mathbf{P}_t^B = \mathbf{P}_t \quad (\text{IP.2})$$

$$\mathbf{P}_t^A(\mathbf{Q}_t - \mathbf{Q}_v) < r_{t,v}C \quad (\text{IP.3})$$

$$r_{t,v} + r_{v,s} \leq 1 + r_{t,s} \quad (\text{IP.4})$$

$$\mathbf{P}_t^A(\mathbf{Q}_t - \mathbf{Q}_v) \leq (1 - r_{v,t})C, \quad (\text{IP.5})$$

with  $C$  a given number exceeding all observed  $\mathbf{P}_t \mathbf{Q}_t$ .

The linear inequalities (IP.1) and (IP.2) are clearly identical to (RP.6) and (RP.7). Further, the nonlinear inequalities (RP.5) have been replaced by the linear inequalities (IP.3)–(IP.5) that make use of real and binary variables. More specifically, (IP.3)–(IP.5) correspond to the GARP condition in Definition 2.

To explain the inequalities (IP.3)–(IP.5), we interpret the variables  $r_{t,v}$  in terms of the revealed preference relation  $R$ , i.e.,  $r_{t,v} = 1$  corresponds to  $\mathbf{Q}_t R \mathbf{Q}_v$ . The constraint (IP.3) then imposes  $\mathbf{Q}_t R \mathbf{Q}_v$  (or  $r_{t,v} = 1$ ) whenever  $\mathbf{P}_t^A \mathbf{Q}_t \geq \mathbf{P}_t^A \mathbf{Q}_v$ . Next, the constraint (IP.4) complies with transitivity of the relation  $R$ : if  $\mathbf{Q}_t R \mathbf{Q}_v$  ( $r_{t,v} = 1$ ) and  $\mathbf{Q}_v R \mathbf{Q}_s$  ( $r_{v,s} = 1$ ), then  $\mathbf{Q}_t R \mathbf{Q}_s$  ( $r_{t,s} = 1$ ). Finally, the constraint (IP.5) states that if  $\mathbf{Q}_v R \mathbf{Q}_t$  ( $r_{v,t} = 1$ ), then we must have  $\mathbf{P}_t^A \mathbf{Q}_t \leq \mathbf{P}_t^A \mathbf{Q}_v$ .

For a given data set  $S$ , we can verify the above linear inequalities by using mixed integer linear programming techniques. It enables us to use solution algorithms that are specially tailored for such problems (see, for example, Nemhauser and Wolsey 1999). Given the result in Proposition 3, this effectively checks whether the set  $S$  is consistent with transferable utility (i.e., rationalizable in terms of GQL utility functions).

#### APPENDIX C: CONDITIONS (RP.1)–(RP.4) IMPLY GARP

Varian (1982) has shown that the data set  $S$  is consistent with the unitary model of household consumption if and only if it satisfies GARP (see Definition 2, where we replace  $Z$  by  $S$ ). In what follows, we show that  $S$  satisfies GARP if it satisfies conditions (RP.1)–(RP.4) in Proposition 1.

From (RP.2) it follows that

$$(\beta_t + x_t) - (\beta_v + x_v) \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \lambda_v^\beta(\mathbf{Q}_t - \mathbf{Q}_v) + x_t - x_v.$$

Then, using (RP.4), we obtain

$$\bar{u}_t \alpha_t - \bar{u}_v \alpha_v \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + (\lambda)_v(\mathbf{Q}_t - \mathbf{Q}_v) + x_t - x_v.$$

Next, adding  $\bar{u}_v(\alpha_v - \alpha_t)$  to both sides and making use of (RP.1) gives

$$\begin{aligned} (\bar{u}_t - \bar{u}_v)\alpha_t &\leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \lambda_v^\beta(\mathbf{Q}_t - \mathbf{Q}_v) + \bar{u}_v(\alpha_v - \alpha_t) + x_t - x_v \\ &\leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \lambda_v^\beta(\mathbf{Q}_t - \mathbf{Q}_v) - \bar{u}_v \lambda_v^\alpha(\mathbf{Q}_t - \mathbf{Q}_v) + x_t - x_v. \end{aligned}$$

Finally, from (RP.3), we get

$$(\bar{u}_t - \bar{u}_v)\alpha_t \leq \mathbf{p}_v(\mathbf{q}_t - \mathbf{q}_v) + \mathbf{P}_v(\mathbf{Q}_t - \mathbf{Q}_v) + x_t - x_v.$$

Now, the above inequality shows that if  $\mathbf{p}_v \mathbf{q}_v + \mathbf{P}_v \mathbf{Q}_v + x_v \geq \mathbf{p}_v \mathbf{q}_t + \mathbf{P}_v \mathbf{Q}_t + x_t$ , then  $\bar{u}_v \geq \bar{u}_t$ . Hence, if  $(\mathbf{q}_v, \mathbf{Q}_v, x_v) R (\mathbf{q}_t, \mathbf{Q}_t, x_t)$ , then also  $\bar{u}_v \geq \bar{u}_t$ . As such, if, on the contrary, GARP is not satisfied, there must exist observations  $t$  and  $v \in T$  such that  $\bar{u}_v \geq \bar{u}_t$  and  $\bar{u}_t > \bar{u}_v$ , a contradiction.

## REFERENCES

- Afriat, Sidney N. (1967), "The construction of utility functions from expenditure data." *International Economic Review*, 8, 67–77. [54, 62]
- Becker, Gary S. (1974), "A theory of social interactions." *Journal of Political Economy*, 82, 1063–1093. [51]
- Bergstrom, Theodore (1989), "A fresh look at the Rotten Kid theorem—And other household mysteries." *Journal of Political Economy*, 97, 1138–1159. [51, 53]
- Bergstrom, Theodore (1997), "A survey of theories of the family." In *The Handbook of Population and Family Economics* (Mark Rosenzweig and Tod Stark, eds.), 22–74, Elsevier, Amsterdam, The Netherlands. [52]
- Bergstrom, Theodore C. and Richard C. Cornes (1981), "Gorman and Musgrave are dual: An Antipodean theorem on public goods." *Economics Letters*, 7, 371–378. [53]
- Bergstrom, Theodore C. and Richard C. Cornes (1983), "Independence of allocative efficiency from distribution in the theory of public goods." *Econometrica*, 51, 1753–1765. [53, 55, 56]
- Bergstrom, Theodore C. and Hal R. Varian (1985), "When do market games have transferable utility?" *Journal of Economic Theory*, 35, 222–233. [53]
- Brown, Donald J. and Caterina Calsamiglia (2007), "The nonparametric approach to applied welfare analysis." *Economic Theory*, 31, 183–188. [54, 59]
- Browning, Martin, Pierre-André Chiappori, and Yoram Weiss (2014), *Economics of the Family*. Cambridge University Press, New York. [55]
- Cherchye, Laurens, Ian Crawford, Bram De Rock, and Frederic Vermeulen (2012), "Aggregation without the aggravation? Nonparametric analysis of representative consumers." Working Paper CWP03/12, cemmap. [53]
- Cherchye, Laurens, Bram De Rock, and Frederic Vermeulen (2007), "The collective model of household consumption: A nonparametric characterization." *Econometrica*, 75, 553–574. [55]
- Cherchye, Laurens, Bram De Rock, and Frederic Vermeulen (2009), "Opening the black box of intra-household decision-making." *Journal of Political Economy*, 117, 1074–1104. [55]
- Cherchye, Laurens, Bram De Rock, and Frederic Vermeulen (2011a), "The revealed preference approach to collective consumption behavior: Testing and sharing rule recovery." *Review of Economic Studies*, 78, 176–198. [55]
- Cherchye, Laurens, Thomas Demuynck, and Bram De Rock (2011b), "Is utility transferable? A revealed preference analysis." Discussion Paper 2011-018, CentER. [52]
- Chiappori, Pierre-André (1988), "Rational household labor supply." *Econometrica*, 56, 63–90. [55]

Chiappori, Pierre-André (2010), “Testable implications of transferable utility.” *Journal of Economic Theory*, 145, 1302–1317. [53, 54, 58]

Diewert, Erwin (1973), “Afriat and revealed preference theory.” *Review of Economic Studies*, 40, 419–425. [54]

Gorman, William M. (1961), “On a class of preference fields.” *Metroeconomica*, 13, 53–56. [53]

Houthakker, Hendrik S. (1950), “Revealed preference and the utility function.” *Economica*, 17, 159–174. [54]

Nemhauser, George and Laurence Wolsey (1999), *Integer and Combinatorial Optimization*. Wiley, New York. [63]

Samuelson, Paul A. (1938), “A note on the pure theory of consumer’s behavior.” *Economica*, 5, 61–71. [53]

Varian, Hal R. (1982), “The nonparametric approach to demand analysis.” *Econometrica*, 50, 945–973. [54, 59, 60, 62, 63]

Varian, Hal R. (1988), “Revealed preference with a subset of goods.” *Journal of Economic Theory*, 46, 179–185. [60]