

Stable matching: An integer programming approach

CHAO HUANG

Institute for Social and Economic Research, Nanjing Audit University

This paper develops an integer programming approach to two-sided many-to-one matching by investigating stable integral matchings of a fictitious market where each worker is divisible. We show that a stable matching exists in a discrete matching market when the firms' preference profile satisfies a total unimodularity condition that is compatible with various forms of complementarities. We provide a class of firms' preference profiles that satisfy this condition.

KEYWORDS. Two-sided matching, stability, integer programming, many-to-one matching, complementarity, total unimodularity, demand type.

JEL CLASSIFICATION. C61, C78, D47, D63.

1. INTRODUCTION

Studies of two-sided matching originated with the seminal work of Gale and Shapley (1962) on the markets of marriage and college admission. In the past decades, the theory of two-sided matching has provided practical solutions to real-life matching problems such as hospital–doctor matching, college admission, and school choice.¹ Kelso and Crawford (1982) and Roth (1984) have recognized different versions of substitutability conditions that are sufficient for the existence of a stable matching in different settings. The substitutability condition for a discrete matching market² requires that any worker chosen by a firm from a set of available workers will still be chosen when the available set shrinks.³ Most real-life matching practices rely on different forms of substitutability conditions. Complementarities in firms' preferences have been regarded as the primary source of difficulties for market design. For instance, consider the following market borrowed from Che, Kim, and Kojima (2019) (henceforth, CKK)⁴ where there are two firms

Chao Huang: huangchao916@163.com

I thank Federico Echenique and two anonymous referees for very helpful comments and suggestions that greatly improved this paper. I thank Zhenhua Jiao, Yan Ju, Wei Ma, and Jun Zhang for many helpful discussions. I am grateful to Ning Sun, Qianfeng Tang, and Guoqiang Tian for their continuous support and encouragement. All errors are mine.

¹See Roth and Peranson (1999), Roth (2002), Abdulkadiroğlu and Sönmez (2003), Abdulkadiroğlu, Pathak, and Roth (2009), Echenique and Yenmez (2015), and Kamada and Kojima (2015), among others.

²We use the term “discrete matching market” to distinguish it from the matching market with continuous monetary transfers and quasilinear utilities; see Section 1.1.

³If a worker is chosen by a firm from a set of available workers but not chosen when the available set shrinks, we would deem that some of the worker's complements become unavailable as the set shrinks.

⁴See Section 2 of CKK. Literature on the quasilinear market also uses examples of a similar structure to illustrate the nonexistence of an equilibrium caused by complementarities; see, e.g., Azevedo, Weyl, and White (2013) and Baldwin and Klempner (2019).

f_1, f_2 , and two workers w_1, w_2 . The agents have the preferences

$$\begin{aligned} f_1 : \{w_1, w_2\} &> \emptyset & w_1 : f_1 &> f_2 \\ f_2 : \{w_1\} &> \{w_2\} > \emptyset & w_2 : f_2 &> f_1. \end{aligned} \quad (1.1)$$

Firm f_1 's preference violates the substitutability condition since w_1 and w_2 are complements for f_1 .⁵ No stable matching exists in this market.⁶

The lack of stable matching can be attributed to complementarities in firms' preferences. However, consider the following market where f_2 's preference is changed:

$$\begin{aligned} f_1 : \{w_1, w_2\} &> \emptyset & w_1 : f_1 &> f_2 \\ f_2 : \{w_1, w_2\} &> \{w_1\} > \{w_2\} > \emptyset & w_2 : f_2 &> f_1. \end{aligned} \quad (1.2)$$

There exists a stable matching in this market where f_2 hires both w_1 and w_2 . The complementarity in f_1 's preference does not distort stability in this market. This paper shows that the firms' preference profile in the latter example satisfies a total unimodularity condition that guarantees a stable matching for all possible preferences of workers, whereas this condition is violated in the former example. A matrix is totally unimodular if every square submatrix has determinant 0 or ± 1 . A set of vectors is totally unimodular if the matrix that has these vectors as columns is totally unimodular. We find that the notion of demand type proposed by Baldwin and Klempner (2019) (henceforth, BK) is useful for analyzing firms' preferences in a discrete matching market.⁷ When the available set of workers expands, firm f_1 will hire both workers when they are available; thus firm f_1 has demand type $\{(1, 1)\}$. When the available set of workers for firm f_2 expands from $\{w_2\}$ to $\{w_1, w_2\}$, firm f_2 will drop worker w_2 and hire worker w_1 in the former example; thus firm f_2 's demand type contains $(1, -1)$, whereas f_2 's demand type does not contain $(1, -1)$ in the latter example. Firm f_2 's demand type is $\{(1, 0), (0, 1), (1, -1)\}$ in the former example, and $\{(1, 1), (1, 0), (0, 1)\}$ in the latter example.⁸ The firms' demand type is $\{(1, 1), (1, 0), (0, 1), (1, -1)\}$ in the former example, which is not totally unimodular (because the determinant of $(1, 1)$ and $(1, -1)$ is -2). The firms' demand type is $\{(1, 1), (1, 0), (0, 1)\}$ in the latter example, which is totally unimodular (because any matrix formed by two of these vectors has determinant 0 or ± 1). In this paper, we show that total unimodularity of the firms' demand type guarantees the existence of a stable matching for all possible preferences of workers.

⁵This is because w_1 would be hired by f_1 from $\{w_1, w_2\}$ but not hired by f_1 from $\{w_1\}$. Similarly, w_2 would be hired by f_1 from $\{w_1, w_2\}$ but not hired by f_1 from $\{w_2\}$.

⁶In this market, f_1 should hire both workers or neither in any stable matching. In the former case, f_2 would form a blocking coalition with w_2 , who prefers f_2 to f_1 . In the latter case, f_2 would be matched with w_1 , leaving w_2 unmatched. Then f_1 would form a blocking coalition with both w_1 and w_2 .

⁷BK studied the exchange economy where agents have quasilinear utilities over indivisible goods, which we call the quasilinear market. See Section 1.1.

⁸In both examples, when the available set of workers for f_2 expands from \emptyset to $\{w_1\}$ or $\{w_2\}$, firm f_2 will hire w_1 or w_2 . Thus $(1, 0)$ and $(0, 1)$ are in f_2 's demand type in both examples. In the latter example, the demand type of f_2 also contains $(1, 1)$, since when the available set of workers expands from \emptyset to $\{w_1, w_2\}$, firm f_2 will hire both workers.

Previous studies on discrete matching are mostly based on the Gale–Shapley mechanism or Taski’s fixed-point theorem.⁹ This paper develops a new integer programming approach. We prove our results by studying stable integral matchings of a continuum market induced from the original market. We assume that each worker is divisible and construct a particular continuous preference on worker shares for each firm. This continuum market is an instance of CKK’s continuum market, and CKK’s existence theorem guarantees the existence of a stable matching in our continuum market. Each stable integral matching of this market corresponds to a stable matching of the original market. Finally, we can apply tools from integer programming to prove the existence of a stable integral matching in the continuum market when the firms’ demand type is totally unimodular. In a discrete matching market, total unimodularity is independent of substitutability and compatible with various forms of complementarities.¹⁰

Our existence theorem applies to a problem of matching firms with specialists, which has a practical economic meaning. We depict the structure of firms’ acceptable sets of workers by a technology tree, where each vertex of the tree represents a technology that requires a set of workers to implement. Each edge of the tree is an upgrade from one technology to another that requires more workers. A worker is called a specialist if she engages in only one upgrade. We show that the firms’ demand type is totally unimodular when firms have preferences over the technologies in a technology tree where each worker is a specialist. See Section 4.

1.1 *Related literature*

There are two parallel lines in the literature on two-sided matching. The discrete matching market we study assumes no monetary transfers (school choice and college admission) or that workers’ wages are exogenously given (firm–worker matching and hospital–doctor matching). The other line assumes continuous monetary transfers between firms and workers where firms have quasilinear utilities and workers’ wages are determined endogenously. This market closely relates to exchange economies where agents have quasilinear utilities over indivisible goods. We call the matching market and exchange economies of this line the quasilinear market, where the solution concept may be stable matching or equilibrium.

Kelso and Crawford (1982) found that a stable matching exists in a quasilinear market when each firm has a gross-substitute valuation over workers. Roth (1984, 1985) found that a stable matching exists in a discrete many-to-many market when all agents have substitutable preferences. In a quasilinear market and a discrete market, Sun and Yang (2006, 2009) and Ostrovsky (2008), respectively, generalized the restriction of substitutability to allow complementarities between two group of agents where substitutability is satisfied within each group.¹¹ Danilov, Koshevoy, and Murota (2001) showed

⁹The Gale–Shapley mechanism with its variants is a standard tool for two-sided matching. See Section 1.1 for literature on the fixed-point method.

¹⁰In a quasilinear market, substitutability implies total unimodularity (see Section 3.2 of BK). However, the two conditions are independent of each other in a discrete matching market; see Section 2.3.

¹¹Ostrovsky (2008) studied the problem of supply chain networks, which subsumes two-sided matching as a special case; see also Hatfield, Kominers, Nichifor, Ostrovsky, and Westkamp (2013).

that a unimodularity condition is sufficient for the existence of an equilibrium in a quasilinear market.¹² BK proved this result independently and enhanced it into the unimodularity theorem, which states that an equilibrium exists for all profiles of concave valuations of a demand type if and only if the demand type is unimodular.

This paper is closely related to CKK, with BK's notion of demand type playing a critical role. In a discrete matching market, CKK found that a stable matching always exists with a continuum of workers when firms have continuous preferences, which can exhibit various complementarities. Their approach enables market designers to pursue an approximately stable matching, which is guaranteed to exist in a real-life market when the market is large enough. CKK proved their existence theorem for the continuum market using the Brouwer (or Kakutani) fixed-point theorem.¹³ Thus, the existence of a stable matching proved in this paper is essentially the existence of an integral Brouwer fixed point, which is quite different from previous methods in matching theory.

BK's demand type considers how demand changes as prices change, while our demand type considers how demand changes as available workers change. BK proved their results using tools from tropical geometry. [Tran and Yu \(2019\)](#) showed that the unimodularity theorem for the quasilinear market can also be proved via integer programming. Although we adopt the notion of demand type from BK and use a similar tool as [Tran and Yu \(2019\)](#), our method is quite different from theirs. The unimodularity theorem for the quasilinear market is built on the following result: An equilibrium always exists in a quasilinear market if and only if the aggregate valuation is concave.¹⁴ In a discrete matching market, there is no counterpart to the notion of the aggregate valuation. Therefore, the methods for quasilinear markets do not apply to discrete matching markets. Our method is to study the existence of a stable integral matching in a market with "divisible" workers, where a stable matching always exists according to CKK.

Our method also relates to the linear programming (henceforth, LP) method for selecting stable matchings of specific properties. [Vande Vate \(1989\)](#) showed the polytope defined by the stable matchings in the marriage market and solved the optimal marriage problem as a linear program. This method was then developed by [Rothblum \(1992\)](#), [Roth, Rothblum, and Vande Vate \(1993\)](#), and [Baïou and Balinski \(2000\)](#). [Teo and Sethuraman \(1998\)](#) and [Sethuraman, Teo, and Qian \(2006\)](#) used this method to find a median stable matching, which is a compromise between agents of the two sides. We discuss the relation between the LP method and our method in Section 3.4. [Biró, Manlove, and McBride \(2014\)](#) and [Ágoston, Biró, and McBride \(2016\)](#) used integer programming methods to study complexities of matching with couples and special college admission problems, respectively.

Stable matchings in a discrete matching market have been characterized as fixed points of certain operators; see [Adachi \(2000\)](#), [Fleiner \(2003\)](#), [Echenique and Oviedo](#)

¹²The proof was provided in [Danilov and Koshevoy \(2004\)](#) as a special case of Theorem 3 therein.

¹³CKK applied the Kakutani–Fan–Glicksberg theorem to prove their existence theorem in a general setting, allowing for indifferences in firms' preferences and infinite worker types. Our continuum market is the basic case with strict preferences and finite worker types in which stable matchings correspond to Brouwer fixed points.

¹⁴See, e.g., Lemma 2 of [Tran and Yu \(2019\)](#).

(2004, 2006), and Hatfield and Milgrom (2005), among others. A more straightforward method for our purpose would be studying the system defined by the fixed-point characterization under the total unimodularity condition. The fixed-point method is appealing for our problem because the fixed-point characterization provides a necessary and sufficient condition that can be used for studying further generalizations or variations of the total unimodularity condition.¹⁵ Although it is so far unknown how to obtain our result using the fixed-point method, proving our result using the fixed-point method will be useful for future research.

Complementarities were also considered in the problem of matching with couples (e.g., Klaus and Klijn, 2005 and Nguyen and Vohra, 2018) and matching with peer effects (see Echenique and Yenmez, 2007 and Pycia, 2012). CKK is a part of the literature that treated the problem of complementarity by pursuing approximate stable outcomes; see also Azevedo, Weyl, and White (2013), Kojima, Pathak, and Roth (2013), and Azevedo and Hatfield (2018), among others. The setting of discrete matching has been generalized to allow discrete contract terms between firms and workers (see Roth, 1984 and Hatfield and Milgrom, 2005), where contracts may specify wages, insurances, retirement plans, etc. Echenique (2012) showed that the many-to-one matching market with substitutable contracts is isomorphic to the Kelso–Crawford market with gross substitutes. Hatfield and Kojima (2010) proposed weakened substitutability conditions that are not implied by the Kelso–Crawford gross substitutes condition; see also Hatfield and Kominers (2015). We can also extend our model to the framework with contracts by studying stable integral matchings of the market in Section S.9 of CKK.¹⁶ Huang (2021a) and the author's subsequent works provide sufficient conditions for the existence of a stable matching where firms' preferences may violate both the substitutability condition and the total unimodularity condition.

The remainder of this paper is organized as follows. Section 2 presents the model of a discrete matching market and the existence theorem. Section 3 elaborates on our method for the proof of the existence theorem. Section 4 provides an application of matching firms with specialists. Proofs are relegated to the Appendix.

2. MODEL

2.1 Preliminaries

There is a finite set F of firms, and a finite set W of workers. Let \emptyset be the null firm, representing not being matched with any firm. Each worker $w \in W$ has a strict, transitive, and complete preference \succ_w over $\tilde{F} := F \cup \{\emptyset\}$. For any $f, f' \in \tilde{F}$, we write $f \succ_w f'$ when w prefers f to f' according to \succ_w . We write $f \succeq_w f'$ if either $f \succ_w f'$ or $f = f'$. Let \succ_W denote the preference profile of all workers. Each firm $f \in F$ has a strict, transitive, and complete preference \succ_f over 2^W . For any $S, S' \subseteq W$, we write $S \succ_f S'$ when

¹⁵For instance, we cannot tell whether a stable matching exists under some generalized unimodularity condition if this condition does not guarantee an integral solution to the constructed linear equations in Section 3. By contrast, we can confirm that stable matching does not exist when there is no fixed point for the related operator in the fixed-point method.

¹⁶CKK extended their results to the framework of matching with contract terms in their Section S.9.

f prefers S to S' according to \succ_f . We write $S \succeq_f S'$ if either $S \succ_f S'$ or $S = S'$. Let \succ_F be the preference profile of all firms. A matching market can be summarized as a tuple $\Gamma = (W, F, \succ_W, \succ_F)$.

Let Ch_f be the choice function of f such that for any $S \subseteq W$, $\text{Ch}_f(S) \subseteq S$ and $\text{Ch}_f(S) \succeq_f S'$ for all $S' \subseteq S$. By convention, let $\text{Ch}_\emptyset(S) = S$ for all $S \subseteq W$. For any $f \in F$, any $w \in W$, and any $S \subseteq W$, we say that f is acceptable to w if $f \succ_w \emptyset$; we say that S is acceptable to f if $S \succ_f \emptyset$.¹⁷

DEFINITION 1. A matching μ is a function from the set $\tilde{F} \cup W$ into $\tilde{F} \cup 2^W$ such that for all $f \in \tilde{F}$ and $w \in W$,

- (i) $\mu(w) \in \tilde{F}$
- (ii) $\mu(f) \in 2^W$
- (iii) $\mu(w) = f$ if and only if $w \in \mu(f)$.

We say that a matching μ is *individually rational* if $\mu(w) \succeq_w \emptyset$ for all $w \in W$ and $\mu(f) = \text{Ch}_f(\mu(f))$ for all $f \in F$. We say that a firm f and a subset of workers $S \subseteq W$ form a *blocking coalition* that blocks μ if $f \succeq_w \mu(w)$ for all $w \in S$, and $S \succ_f \mu(f)$. In words, individual rationality requires that each matched worker prefers her current employer to being unmatched and that no firm wishes to unilaterally drop any of its employees. When f and S block μ , the set S may contain workers who are matched with f in μ . Thus, we require each worker $w \in S$ to weakly prefer f to $\mu(w)$. Firm f should strictly prefer S to $\mu(f)$ since we require $S \neq \mu(f)$.

DEFINITION 2. A matching μ is *stable* if it is individually rational and there is no blocking coalition that blocks μ .¹⁸

Stable matching is guaranteed to exist in a matching market when the preference of each firm satisfies the following substitutability condition; see Chapter 6 of [Roth and Sotomayor \(1990\)](#).¹⁹

DEFINITION 3. Firm f has a *substitutable* preference if for any $S \subseteq W$ and any $\{w, w'\} \subseteq S$, $w \in \text{Ch}_f(S)$ implies $w \in \text{Ch}_f(S \setminus \{w'\})$.

If, on the contrary, there exist $S \subseteq W$ and $\{w, w'\} \subseteq S$ such that $w \in \text{Ch}_f(S)$ but $w \notin \text{Ch}_f(S \setminus \{w'\})$, then we would consider w and w' to be complements in f 's preference because w becomes undesired when w' is not available.

¹⁷Note that \emptyset is the null firm whereas \emptyset is the empty set of workers.

¹⁸The no blocking coalition condition implies the individual rationalities of firms: $\mu(f) = \text{Ch}_f(\mu(f))$ for all $f \in F$. This is also the case for Definition 5 (see footnote 28 of CKK). The exposition of these two definitions follows the convention in the literature.

¹⁹The stability of Definition 2 is called the core defined by weak domination in [Roth and Sotomayor \(1990\)](#).

2.2 Demand type

Now we introduce BK’s concept of demand type to discrete matching. For any subset $S \subseteq W$ of workers, we let $\text{ind}(S) \in \{0, 1\}^W$ denote the indicator vector of S . For any $S, S' \subseteq W$ such that $\text{ind}(S) = \mathbf{x}$ and $\text{ind}(S') = \mathbf{x}'$, we abuse the notation to write $\mathbf{x} \succeq_f \mathbf{x}'$ when $S \succeq_f S'$, $\mathbf{x} \succ_f \mathbf{x}'$ when $S \succ_f S'$, and $\text{Ch}_f(\mathbf{x}) = \mathbf{x}'$ when $\text{Ch}_f(S) = S'$.

DEFINITION 4. For each $f \in F$, let $\mathcal{D}_f = \{\mathbf{d} \in \{0, 1\}^W \mid \mathbf{d} \neq \mathbf{0} \text{ and } \mathbf{d} = \text{ind}(\text{Ch}_f(S)) - \text{ind}(\text{Ch}_f(S')) \text{ for some } S, S' \text{ such that } S' \subset S \subseteq W\}$ be f ’s demand type. The demand type for the firms’ preference profile is $\mathcal{D} = \cup_{f \in F} \mathcal{D}_f$.

A matrix is *totally unimodular* if every square submatrix has determinant 0 or ± 1 . In particular, each entry in a totally unimodular matrix is 0 or ± 1 . A set of vectors is called totally unimodular if the matrix that has these vectors as columns is totally unimodular. Total unimodularity can be tested in polynomial time; see, for example, [Walter and Truemper \(2013\)](#). In a practical problem, suppose a firm f reports a preference that contains N acceptable sets. If S and S' are two sets such that $\text{Ch}_f(S') = S'$ and $S \succ_f S'$, we should check whether $S = \text{Ch}_f(S \cup S')$ holds to determine whether $\text{ind}(S) - \text{ind}(S')$ belongs to f ’s demand type. Hence, it takes $\mathcal{O}(N^3)$ time to obtain f ’s demand type, which contains at most $N(N + 1)/2$ vectors.

2.3 Existence theorem

We find that a stable matching exists in a discrete matching market for all possible preferences of workers, provided the firms’ demand type is totally unimodular.²⁰

THEOREM 1. *There exists a stable matching if the firms’ demand type \mathcal{D} is totally unimodular.*

We explain our method for the proof of this theorem in Section 3. Totally unimodular demand types are compatible with various forms of complementarities. We provide a class of firms’ preference profiles in Section 4 that exhibit total unimodularity and complementarities.

[Danilov, Koshevoy, and Murota \(2001\)](#) and BK showed that an equilibrium exists in a quasilinear market if agents have a unimodular demand type. Unimodularity is weaker than total unimodularity. A set of vectors in \mathbb{Z}^n is *unimodular* if every linearly independent subset can be extended to a basis for \mathbb{R}^n , of integer vectors, with determinant ± 1 .²¹ A matrix is unimodular if the set of its columns is unimodular. Notice that a matrix of full row rank is unimodular if any square submatrix formed by its columns has determinant

²⁰A previous version of this paper ([Huang, 2021b](#)) defined the null firm’s demand type to be the set of unit vectors and defined the firms’ demand type to include the null firm’s demand type. The unimodularity condition defined in the previous version is equivalent to the current total unimodularity condition according to the following fact: For any matrix H , $[H, I]$ is unimodular if and only if H is totally unimodular.

²¹ $k < n$ linearly independent vectors $\mathbf{a}^1, \dots, \mathbf{a}^k$ can be extended to a basis for \mathbb{R}^n if there exist vectors $\mathbf{a}^{k+1}, \dots, \mathbf{a}^n$ such that $\mathbf{a}^1, \dots, \mathbf{a}^n$ is a basis for \mathbb{R}^n . By the “determinant” of n vectors in \mathbb{Z}^n we mean the determinant of the $n \times n$ matrix that has them as its columns.

0 or ± 1 . The following example shows that a stable matching does not necessarily exist in a discrete matching market when \mathcal{D} is unimodular.²²

EXAMPLE 1. There are three firms f_1, f_2, f_3 , and three workers w_1, w_2, w_3 . The agents have the following preferences.

$$\begin{aligned}
 f_1 : \{w_1, w_2, w_3\} &> \emptyset & w_1 : f_1 &> f_2 > \emptyset \\
 f_2 : \{w_1\} &> \{w_2\} > \emptyset & w_2 : f_2 &> f_1 > f_3 > \emptyset \\
 f_3 : \{w_2, w_3\} &> \emptyset & w_3 : f_1 &> f_3 > \emptyset
 \end{aligned} \tag{2.1}$$

We have $\mathcal{D}_{f_1} = \{(1, 1, 1)\}$, $\mathcal{D}_{f_2} = \{(1, 0, 0), (0, 1, 0), (1, -1, 0)\}$, and $\mathcal{D}_{f_3} = \{(0, 1, 1)\}$. The firms' demand type is $\mathcal{D} = \{(1, 1, 1), (1, 0, 0), (0, 1, 0), (1, -1, 0), (0, 1, 1)\}$, which is unimodular but not totally unimodular.²³ This market does not admit a stable matching: Suppose f_3 is matched with $\{w_2, w_3\}$, then w_1 is either employed by f_2 or unmatched. In both cases, f_1 and $\{w_1, w_2, w_3\}$ form a blocking coalition. Suppose f_3 is matched with \emptyset , we do not have a stable matching for a similar reason as (1.1). \diamond

In a quasilinear market, both conditions of gross substitutes (Kelso and Crawford, 1982) and gross substitutes and complements (Sun and Yang, 2006) imply total unimodularity.²⁴ However, total unimodularity is independent of substitutability in a discrete matching market. In a quasilinear market, each vector from the demand type of a gross-substitute valuation has at most one coordinate of $+1$ and at most one coordinate of -1 .²⁵ But this is not the case for the demand type of a firm's substitutable preference in a discrete matching market. Next is an example of a substitutable preference profile with demand type that fails total unimodularity.

EXAMPLE 2. There are two firms f_1, f_2 , and two workers w_1, w_2 . The firms have the preferences

$$f_1 : \{w_1, w_2\} > \{w_1\} > \{w_2\} > \emptyset \qquad f_2 : \{w_1\} > \{w_2\} > \emptyset.$$

Both firms have substitutable preferences. However, we have $\mathcal{D}_{f_1} = \{(1, 1), (1, 0), (0, 1)\}$ and $\mathcal{D}_{f_2} = \{(1, 0), (0, 1), (1, -1)\}$. The firms' demand type is not totally unimodular since it contains $(1, 1)$ and $(1, -1)$. \diamond

The necessity part of BK's unimodularity theorem says that given a demand type that is not unimodular, there must be some profile of concave valuations of this demand type for which an equilibrium does not exist.²⁶ It is unknown whether the following

²²Example 1 does not conflict with the existence theorem stated in the previous version (Huang, 2021b) because the definition of the firms' demand type in the previous version differs from Definition 4.

²³ \mathcal{D} is unimodular since the matrix formed by vectors from \mathcal{D} has full row rank and any submatrix formed by three vectors from \mathcal{D} has determinant 0 or ± 1 . \mathcal{D} is not totally unimodular because of the submatrix formed by $(1, 1)$ and $(1, -1)$.

²⁴See Section 3.2 of BK.

²⁵See Definition 3.5 and Proposition 3.6 of BK.

²⁶See Corollary 4.4 of BK.

counterpart holds in our context: In a discrete matching market Γ with firms' demand type \mathcal{D} not being totally unimodular (such as the market in Example 2), there must be some market Γ' with the same demand type for firms, for which a stable matching does not exist (such as market (1.1), the firms' demand type in (1.1) is the same as that in Example 2).

3. METHOD

We elaborate on our method for the proof of Theorem 1 in this section. We present the market with “divisible” workers in Section 3.1, the stability-preserving turnovers in this market in Section 3.2, and an illustrative example in Section 3.3. We discuss the relation to the LP method for stable matching in Section 3.4.

3.1 A continuum market

We construct an instance of the continuum market in CKK from a matching market Γ by assuming that each worker in W is divisible. In this setting, W is called the set of worker types. There is a divisible mass of quantity 1 of each worker type $w \in W$. A vector $\mathbf{x} \in [0, 1]^W$ is called a *subpopulation*, where $x(w)$ is the quantity of the type- w workers for each $w \in W$. We say that a subset of worker types $S \subseteq W$ (or $\mathbf{z} \in \{0, 1\}^W$) is available at subpopulation $\mathbf{x} \in [0, 1]^W$ if $w \in S$ implies $x(w) > 0$ (resp. $z(w) = 1$ implies $x(w) > 0$). Each worker type $w \in W$ has a strict preference \succ_w over \tilde{F} , where \succ_w is the preference of worker w in the original market Γ . Each firm $f \in \tilde{F}$ has a choice function $\widehat{\text{Ch}}_f : [0, 1]^W \rightarrow [0, 1]^W$, where $\widehat{\text{Ch}}_f(\mathbf{x}) \leq \mathbf{x}$. By convention, let $\widehat{\text{Ch}}_\emptyset(\mathbf{x}) = \mathbf{x}$ for all $\mathbf{x} \in [0, 1]^W$. We now construct a choice function $\widetilde{\text{Ch}}_f$ for each firm $f \in F$ based on its preference \succ_f in Γ .

Let $\mathbf{u}^1 \succ_f \mathbf{u}^2 \succ_f \dots \succ_f \mathbf{u}^L \succ_f \mathbf{0}$ be the preference order of firm f over its acceptable sets of workers in Γ , where $\mathbf{u}^j \in \{0, 1\}^W$ for all $j \in \{1, \dots, L\}$ and $\mathbf{0}$ is the empty set of workers. Before proceeding to the formal definition of $\widetilde{\text{Ch}}_f$, we want to give an intuitive description of this choice function, which resembles that of the probabilistic serial assignment of [Bogomolnaia and Moulin \(2001\)](#). Consider the workers of each worker type of \mathbf{x} as a “divisible commodity.” The firm first consumes the workers of each type of \mathbf{u}^j from \mathbf{x} simultaneously at speed 1, where j is the smallest index such that \mathbf{u}^j is available at \mathbf{x} . When the workers of one worker type of \mathbf{u}^j are exhausted, the firm switches to consume the workers of $\mathbf{u}^{j'}$ simultaneously at speed 1, where j' is the smallest index such that $\mathbf{u}^{j'}$ is available at the remaining subpopulation. This procedure goes on until the time reaches 1 or until there is no acceptable set of worker types available at the remaining subpopulation.

EXAMPLE 3. If f has preference $\{w_1, w_2\} \succ \{w_2, w_3\} \succ \{w_3\} \succ \emptyset$ in Γ , then $\widehat{\text{Ch}}_f((0.6, 0.6, 0.5)) = (0.6, 0.6, 0.4)$: It first consumes 0.6 of each of the type- w_1 and type- w_2 workers. Then, since $\{w_2, w_3\}$ is not available at the remaining subpopulation $(0,0,0.5)$, it switches to consume 0.4 of the type- w_3 workers when the time reaches 1. In another case, $\widehat{\text{Ch}}_f((0.1, 0.4, 0.1)) = (0.1, 0.2, 0.1)$: The firm first consumes 0.1 of each of the type- w_1 and type- w_2 workers, and then it consumes 0.1 of each of the type- w_2 and type- w_3

workers from the remaining subpopulation $(0, 0.3, 0.1)$. The procedure then terminates since there is no acceptable set of worker types available at the remaining subpopulation $(0, 0.2, 0)$. \diamond

Formally, for any $\mathbf{x} \in [0, 1]^W$, $\widehat{\text{Ch}}_f(\mathbf{x})$ is defined by the following recursive procedure. Let $t_0 = 0$ and $\mathbf{z}^0 = \mathbf{x}$. Suppose $t_0, \mathbf{z}^0, \dots, t_{k-1}, \mathbf{z}^{k-1}$ ($k \in \{1, 2, \dots, L\}$) are already defined. Then define

$$t_k = \min \left\{ 1 - \sum_{j=0}^{k-1} t_j, z_i^{k-1} \mid i \in \{1, 2, \dots, n\} \text{ and } u_i^k \neq 0 \right\} \tag{3.1}$$

$$\mathbf{z}^k = \mathbf{z}^{k-1} - t_k \mathbf{u}^k.$$

After the sequences $(t_k)_{k=0}^L$ and $(\mathbf{z}^k)_{k=0}^L$ have been defined, we define

$$\widehat{\text{Ch}}_f(\mathbf{x}) = \sum_{k=1}^L t_k \mathbf{u}^k. \tag{3.2}$$

When we consider this procedure as the consumption process described above, for each $k \in \{1, 2, \dots, L\}$, t_k is the time the firm spends in the consumption of \mathbf{u}^k ; \mathbf{z}^k is the remaining subpopulation after \mathbf{u}^k has been consumed. If $\sum_{j=1}^{k'} t_j = 1$ for some $k' \in \{1, 2, \dots, L-1\}$, then $t_{k''} = 0$ for all $k'' \in \{k'+1, \dots, L\}$. It turns out that the choice function $\widehat{\text{Ch}}_f$ constructed above is continuous and satisfies the revealed preference property.

LEMMA 1. $\widehat{\text{Ch}}_f$ is continuous and satisfies the *revealed preference property*: For any $\mathbf{x}, \mathbf{x}' \in [0, 1]^W$ with $\mathbf{x}' \leq \mathbf{x}$, $\widehat{\text{Ch}}_f(\mathbf{x}) \leq \mathbf{x}'$ implies $\widehat{\text{Ch}}_f(\mathbf{x}') = \widehat{\text{Ch}}_f(\mathbf{x})$.

The revealed preference property stated above is known as Sen's property α , which is a premise of CKK's existence theorem. Let $\widehat{\text{Ch}}_F$ be the set of choice functions of all firms constructed in the above way. A continuum market induced from a matching market Γ is also summarized as a tuple $\widehat{\Gamma} = (W, F, \succ_W, \widehat{\text{Ch}}_F)$, where W, F , and \succ_W are the same as those of Γ . We can interpret the induced market $\widehat{\Gamma}$ as a schedule matching market of Alkan and Gale (2003), where each worker schedules her time among different firms, and each firm schedules its time among different groups of workers. Different groups of workers bring different outputs per unit time for each firm, which decrease along with the firm's preference order in the original market Γ . For instance, suppose f has preference $\{w_1, w_2\} \succ \{w_2, w_3\} \succ \{w_3\} \succ \emptyset$ in Γ . In the induced market, $\{w_1, w_2\}$ brings more output per unit time than $\{w_2, w_3\}$, which brings more output per unit time than $\{w_3\}$. When a firm faces an available supply of working time from workers, the firm solves a linear program to find the optimal schedule, which is the same as the choice function $\widehat{\text{Ch}}_f$.²⁷

A *matching* M in $\widehat{\Gamma}$ assigns each firm a subpopulation of workers: $M = (M_f)_{f \in \widetilde{F}}$ such that $M_f \in [0, 1]^W$ for all $f \in \widetilde{F}$ and $\sum_{f \in \widetilde{F}} M_f(w) = 1$ for all $w \in W$. For any subpopulations

²⁷I thank Federico Echenique for this insightful interpretation.

$\mathbf{x}, \mathbf{x}' \in [0, 1]^W$, we let $\mathbf{x} \vee \mathbf{x}'$ denote the subpopulation whose quantity of type- w workers is $\max\{\mathbf{x}(w), \mathbf{x}'(w)\}$. CKK use firms' choice functions to define firms' preferences over matchings. Given two matchings M and M' , we say that firm f prefers M'_f to M_f , denoted as $M'_f \succeq_f M_f$, if $M'_f = \widehat{\text{Ch}}_f(M'_f \vee M_f)$. This relation is known as Blair's partial order in the literature (Blair, 1984). We write $M'_f \succ_f M_f$ to indicate that $M'_f \succeq_f M_f$ and $M'_f \neq M_f$. For any matching M and firm f , the subpopulation of workers assigned to firm f or some firm worse than f (according to their preferences) in M is denoted as $A^{\leq f}(M) \in [0, 1]^W$, where

$$A^{\leq f}(M)(w) = \sum_{f' \in \tilde{F}: f \succeq_w f'} M_{f'}(w) \tag{3.3}$$

for each $w \in W$; $A^{\leq f}(M)$ refers to the available subpopulation for f in M since it measures the amount of workers of each type who would rather match with f in M . The concept of stability in the continuum market $\tilde{\Gamma}$ is then defined as follows:

DEFINITION 5. A matching $M = (M_f)_{f \in \tilde{F}}$ in $\widehat{\Gamma}$ is *stable* if the following conditions hold.

- (i) Individual Rationality: For each $f \in F$, $M_f = \widehat{\text{Ch}}_f(M_f)$, and for all $w \in W$, $M_f(w) = 0$ for any f that satisfies $\emptyset \succ_w f$.
- (ii) No Blocking Coalition: There are no $f \in F$ and $M'_f \in [0, 1]^W$ such that $M'_f \succ_f M_f$ and $M'_f \leq A^{\leq f}(M)$.

CKK proved that stable matchings exist when each firm has a continuous choice function.²⁸ Then by Lemma 1, we know that there exists a stable matching in the continuum market $\widehat{\Gamma}$.

EXAMPLE 4. Consider a matching market Γ where there are two firms $F = \{f_1, f_2\}$ and three workers $W = \{w_1, w_2, w_3\}$. The preferences of firms and workers are

$$\begin{aligned} f_1 : \{w_1, w_2\} &\succ \{w_3\} \succ \emptyset & w_1 : f_1 &\succ f_2 \succ \emptyset \\ f_2 : \{w_1, w_2\} &\succ \emptyset & w_2 : f_2 &\succ f_1 \succ \emptyset \\ & & w_3 : f_1 &\succ \emptyset. \end{aligned}$$

◇

The above matching market induces a continuum market $\widehat{\Gamma}$, where the choice functions $\widehat{\text{Ch}}_{f_1}$ and $\widehat{\text{Ch}}_{f_2}$ are generated from the above firms' preference profile via (3.1) and (3.2). By Lemma 1 and CKK's existence theorem, there is at least one stable matching in this continuum market. For instance, the matching M in $\widehat{\Gamma}$, where f_1 is matched with $(0.5, 0.5, 0.5)$, f_2 with $(0.5, 0.5, 0)$, and \emptyset with $(0, 0, 0.5)$, is stable. Under our constructed firms' preferences, $\widehat{\text{Ch}}_{f_1}((0.5, 0.5, 0.5)) = (0.5, 0.5, 0.5)$ and

²⁸See Theorem 2 of CKK. CKK's framework accommodates indifferences in firms' preferences. The requirements of continuity and convex-valuedness on firms' choice correspondences in their setting reduce to the continuity of firms' choice functions in our setting.

$\widehat{\text{Ch}}_{f_2}((0.5, 0.5, 0)) = (0.5, 0.5, 0)$ indicate the individual rationality of M . Hiring more type- w_3 workers does not benefit f_1 . f_1 and f_2 would both like to hire more workers of type- w_1 and type- w_2 at the ratio 1:1, but neither can draw workers of this ratio from the other. For example, f_1 would be better off when matched with $(0.6, 0.6, 0.4)$. This is because $\widehat{\text{Ch}}_{f_1}((0.6, 0.6, 0.4) \vee (0.5, 0.5, 0.5)) = (0.6, 0.6, 0.4)$ indicates $(0.6, 0.6, 0.4) \succ_{f_1} (0.5, 0.5, 0.5)$. However, f_1 cannot draw any type- w_2 workers from f_2 since the type- w_2 workers prefer f_2 to f_1 . In the language of Definition 5, f_1 and $(0.6, 0.6, 0.4)$ do not form a blocking coalition because although $(0.6, 0.6, 0.4) \succ_{f_1} (0.5, 0.5, 0.5)$ holds, $(0.6, 0.6, 0.4) \leq A^{\leq f_1}(M)$ does not hold where $A^{\leq f_1}(M) = (1, 0.5, 1)$.

We say that a matching M in $\widehat{\Gamma}$ is integral if $M_f(w) \in \{0, 1\}$ for all $f \in \widetilde{F}$ and $w \in W$; otherwise we say that M is fractional. Another observation is that each stable integral matching in the continuum market $\widehat{\Gamma}$ is also a stable matching in the original market Γ . For instance, the stable integral matching in $\widehat{\Gamma}$, where f_1 matches with $(0, 0, 0)$, f_2 with $(1, 1, 0)$, and \emptyset with $(0, 0, 1)$, is also a stable matching in Γ .

LEMMA 2. If M is a stable integral matching in the continuum market $\widehat{\Gamma}$, then μ is a stable matching in the original matching market Γ , where $\mu(w) = f$ and $w \in \mu(f)$ if $M_f(w) = 1$ for each $w \in W$ and $f \in \widetilde{F}$.

3.2 Stability-preserving turnovers

Every matching market Γ induces a continuum market $\widehat{\Gamma}$. Motivated by Lemma 2, we turn to investigate when there exists a stable integral matching in $\widehat{\Gamma}$. According to CKK's existence theorem, there always exists a stable matching M in $\widehat{\Gamma}$, which may be fractional or integral. Consider the stable fractional matching in Example 4, where f_1 is matched with $(0.5, 0.5, 0.5)$, f_2 with $(0.5, 0.5, 0)$, and \emptyset with $(0, 0, 0.5)$. We obtain a stable integral matching when all the workers matched with f_2 switch to f_1 and the type- w_3 workers previously hired by f_1 become unemployed. Such “turnover” of workers in the continuum market preserves stability and produces a stable integral matching. However, consider the continuum market induced by (1.1), and the stable fractional matching where f_1 is matched with $(0.5, 0.5)$ and f_2 with $(0.5, 0.5)$. We cannot obtain a stable integral matching by any stability-preserving turnover of workers.²⁹

Therefore, stable matching always exists in the original market when stability-preserving turnover toward a stable integral matching exists in the continuum market. To formalize some of the stability-preserving turnovers, we generalize the concept of matching to “pseudo-matching” in the continuum market and introduce “stable transformations” that operate on pseudo-matchings in a succinct manner. We find that some special stability-preserving turnovers toward an integral matching can be expressed as a series of our stable transformations.

In the continuum market $\widehat{\Gamma}$, we call $M = (M_f)_{f \in \widetilde{F}}$ a *pseudo-matching* if $M_f \in [0, 1]^W$ for all $f \in \widetilde{F}$. A pseudo-matching may assign more or less than quantity 1 of some worker type to firms. A pseudo-matching is a matching if $\sum_{f \in \widetilde{F}} M_f(w) = 1$ for each $w \in W$. We

²⁹It happens that there is no stability-preserving turnover of workers in this continuum market, because there is only one stable matching; see Example 3 of CKK.

say that a pseudo-matching M is *stable* if it satisfies conditions (i) and (ii) in Definition 5. In other words, a pseudo-matching M is stable if M is a stable matching when the quantity of each worker type w in the market is adjusted to its current quantity $\sum_{f \in \tilde{F}} M_f(w)$ in M .

EXAMPLE 5. Consider the continuum market $\hat{\Gamma}$ in Example 4. Let M be the pseudo-matching where $M_{f_1} = (0.6, 0.6, 0.3)$, $M_{f_2} = (0.3, 0.3, 0)$, and $M_\emptyset = (0, 0, 0)$. Then M is a stable pseudo-matching. The reason is similar to that in Example 4.

Let M' be the pseudo-matching where $M'_{f_1} = (0, 0, 0)$, $M'_{f_2} = (0.3, 0.3, 0)$, and $M'_\emptyset = (0, 0, 0)$. Readers can check that M' is also a stable pseudo-matching. \diamond

Given a stable pseudo-matching M in $\hat{\Gamma}$, each of the following transformations on M produces a stable pseudo-matching M' .

Type-1 stable transformation. Choose a firm f' from F such that $\sum_{j=1}^L t_j < 1$ holds in the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M_{f'})$. Let $M'_{f'} = \mathbf{0}$ and let $M'_f = M_f$ for all $f \neq f'$.

Type-2 stable transformation. Choose a firm f' from F . Consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M_{f'}) = \sum_{j=1}^L t_j \mathbf{u}^j$. Choose an index $k \in \{1, 2, \dots, L\}$ that satisfies $t_k > 0$, let $M'_{f'} = \mathbf{u}^k$, and let $M'_f = M_f$ for all $f \neq f'$.

Type-3 stable transformation. Choose a worker type $w' \in W$ that satisfies $M_\emptyset(w') \in (0, 1)$, let $M'_\emptyset(w') = 0$ or 1 , and let $M'_\emptyset(w) = M_\emptyset(w)$ for all $w \neq w'$ and $M'_f = M_f$ for all $f \in F$.

EXAMPLE 6. Consider the continuum market $\hat{\Gamma}$ in Example 4 and the stable pseudo-matchings M and M' in Example 5. $M \rightarrow M'$ is a type-1 stable transformation. Note that in the procedure (3.1) that computes $\widehat{\text{Ch}}_{f_1}(M_{f_1})$, we have $\sum_{j=1}^L t_j = 0.9 < 1$. Since f_1 cannot draw any subpopulation that includes both types from f_2 in M , f_1 can do no such thing in M' either and, thus, this transformation maintains stability.

Let M'' be the pseudo-matching where $M''_{f_1} = (1, 1, 0)$, $M''_{f_2} = (0.3, 0.3, 0)$, and $M''_\emptyset = (0, 0, 0)$. Then $M \rightarrow M''$ is a type-2 stable transformation. This transformation maintains stability because f_2 cannot draw any subpopulation that includes both types from f_1 no matter when f_1 is matched with $(0.6, 0.6, 0.3)$ or $(1, 1, 0)$.

Let \tilde{M} be the pseudo-matching where $\tilde{M}_{f_1} = (0, 0, 0)$, $\tilde{M}_{f_2} = (0.3, 0.3, 0)$, and $\tilde{M}_\emptyset = (0, 0.3, 0)$. Let \tilde{M}' be the pseudo-matching where $\tilde{M}'_{f_1} = (0, 0, 0)$, $\tilde{M}'_{f_2} = (0.3, 0.3, 0)$, and $\tilde{M}'_\emptyset = (0, 1, 0)$. Then $\tilde{M} \rightarrow M'$ and $\tilde{M} \rightarrow \tilde{M}'$ are both type-3 stable transformations. Unmatched workers in a stable matching can be viewed as redundant for firms; thus, stability is not affected when the quantity of unmatched workers varies. \diamond

LEMMA 3. Each of the type-1, type-2, and type-3 stable transformations on a stable pseudo-matching produces a stable pseudo-matching.

When we implement several stable transformations on a stable fractional matching, the matching becomes “less fractional” and ultimately becomes integral, but it may assign more or less than quantity 1 of some worker types. Thus, we also want a series of transformations to be “balanced,” that is, to assign 1 quantity of each worker type in the

output. Because the stable transformations transform stable fractional matchings in a succinct manner, we can reduce “balanced” stable transformations to integral solutions to a system of linear equations, where the total unimodularity condition applies.

3.3 Illustrative example

EXAMPLE 7. Consider the market of Example 4 and the stable matching M in the continuum market where $M_{f_1} = (0.5, 0.5, 0.5)$, $M_{f_2} = (0.5, 0.5, 0)$, and $M_\emptyset = (0, 0, 0.5)$. In the following discussion, we represent a pseudo-matching in $\widehat{\Gamma}$ with a matrix, the rows of which represent the subpopulations matched with the firms. M is then represented by the 3×3 matrix

$$\begin{array}{c|ccc} & w_1 & w_2 & w_3 \\ \hline f_1 & 0.5 & 0.5 & 0.5 \\ f_2 & 0.5 & 0.5 & 0 \\ \emptyset & 0 & 0 & 0.5 \end{array}$$

Consider the following transformations on M :

$$\begin{pmatrix} 0.5 & 0.5 & 0.5 \\ 0.5 & 0.5 & 0 \\ 0 & 0 & 0.5 \end{pmatrix} \xrightarrow{(1)} \begin{pmatrix} 0.5 & 0.5 & 0.5 \\ 0 & 0 & 0 \\ 0 & 0 & 0.5 \end{pmatrix} \xrightarrow{(2)} \begin{pmatrix} 1 & 1 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0.5 \end{pmatrix} \xrightarrow{(3)} \begin{pmatrix} 1 & 1 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 1 \end{pmatrix}.$$

Transformations (1), (2), and (3) are type-1, type-2, and type-3 stable transformations, respectively. It turns out that we finally reach a stable integral matching M' in $\widehat{\Gamma}$, where $M'_{f_1} = (1, 1, 0)$, $M'_{f_2} = (0, 0, 0)$, and $M'_\emptyset = (0, 0, 1)$. The outcome is not only a stable integral pseudo-matching, but also a matching that assigns precisely quantity 1 of each worker type.

A critical observation is that we can reach a stable integral matching through stable transformations on M when there is a nonnegative integral solution to the system of linear equations

$$\begin{pmatrix} 1 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 1 & 0 \\ 1 & 0 & 1 & 0 & 0 \\ 1 & 0 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 \end{pmatrix} \begin{pmatrix} z_1 \\ z_2 \\ z_3 \\ z_4 \\ z_5 \end{pmatrix} = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 1 \\ 1 \end{pmatrix}.$$

Let B denote the 5×5 matrix on the left. The first and second rows of B are constraints for preserving stability; the third to fifth rows of B are constraints for assigning quantity 1 of each worker type. Let B^* denote the 3×5 submatrix that includes the third to fifth rows of B . Let B_i and B_i^* be the vectors of the i th column of B and B^* , respectively. B_1^* and B_2^* correspond to $\{w_1, w_2\}$ and $\{w_3\}$ in f_1 's preference list, respectively. B_3^* and B_4^* correspond to $\{w_1, w_2\}$ and \emptyset in f_2 's preference list, respectively. B_5^* corresponds to the type- w_3 workers matched with firm \emptyset . $\mathbf{z} = (0.5, 0.5, 0.5, 0.5, 0.5)$ is a solution to this system, which refers to matching M as

$$M = \begin{pmatrix} f_1 & f_2 & \emptyset \\ z_1(1, 1, 0) + z_2(0, 0, 1) & z_3(1, 1, 0) + z_4(0, 0, 0) & z_5(0, 0, 1) \end{pmatrix}. \tag{3.4}$$

$(z_1, z_2) = (0.5, 0.5)$ corresponds to (t_1, t_2) in the procedure (3.1) that computes $\widehat{\text{Ch}}_{f_1}(0.5, 0.5, 0.5)$; $(z_3, z_4) = (0.5, 0.5)$, corresponds to $(t_1, 1 - t_1)$ in the procedure (3.1) that computes $\widehat{\text{Ch}}_{f_2}(0.5, 0.5, 0)$; $z_5 = 0.5$ corresponds to $M_\emptyset = (0, 0, 0.5)$. Note that (3.4) with any integral $\mathbf{z} \in \{0, 1\}^5$ that satisfies $z_1 + z_2 = 1$ and $z_3 + z_4 = 1$ (guaranteed by the first and second rows of B) corresponds to a stable integral pseudo-matching obtained from M via stable transformations. Then any $\mathbf{z} \in \{0, 1\}^5$ that satisfies $B\mathbf{z} = \mathbf{1}$ corresponds to a stable integral matching since $B^*\mathbf{z} = \mathbf{1}$ requires that the workers of each type assigned to firms is of quantity 1. For instance, $\mathbf{z}' = (1, 0, 0, 1, 1)$ is a solution to the system, and we obtain the stable integral matching M' by plugging \mathbf{z}' into (3.4).

Therefore, given a stable matching M in the continuum market $\widehat{\Gamma}$, we can construct a system of linear equations $B\mathbf{z} = \mathbf{1}$. Our construction guarantees that the polytope $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$ is nonempty because M corresponds to a nonnegative solution to this system of equations. Our construction also guarantees that every integral point of this polytope corresponds to a stable matching in the original market. Now we can apply a standard result from integer programming to this problem. Under the condition that matrix B is unimodular, all vertices of the polytope $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$ are integral (Hoffman and Kruskal, 1956; see also Theorem 21.5 of Schrijver, 1986). Since the polytope is nonempty, we further know that there is at least an integral vertex on this polytope. Finally, it is not difficult to find out that B is unimodular when the firms' demand type \mathcal{D} is totally unimodular. In this example, we have $\mathcal{D}_{f_1} = \{(1, 1, 0), (1, 1, -1), (0, 0, 1)\}$ and $\mathcal{D}_{f_2} = \{(1, 1, 0)\}$. The firms' demand type is $\mathcal{D} = \{(1, 1, 0), (1, 1, -1), (0, 0, 1)\}$, which is totally unimodular. Now we illustrate why total unimodularity of \mathcal{D} implies unimodularity of matrix B . For instance, B_1, B_2, B_3 , and B_5 are linearly independent. The total unimodularity of \mathcal{D} guarantees that matrix $[B_1^* - B_2^*, B_5^*]$ is unimodular,³⁰ and thus the set $\{B_1^* - B_2^*, B_5^*\}$ can be extended to a basis for \mathbb{R}^3 , of integer vectors, with determinant ± 1 (e.g., by extending with $(1, 0, 0)$). Then, we know that $\{B_1, B_3\} \cup \{B_1 - B_2, B_5\}$ can be extended to a basis for \mathbb{R}^5 , of integer vectors, with determinant ± 1 (e.g., by extending with $(0, 0, 1, 0, 0)$). Therefore, such extension also exists for the set $\{B_1, B_2, B_3, B_5\}$.³¹ \diamond

3.4 Relation to the LP method

Linear programming has been used to select stable matchings of specific properties, such as optimal marriage and median stable matching. Both the LP method and our method represent matchings by their indicator vectors and study polytopes related to these vectors. We discuss the differences between the two methods below.

First, the LP method is used to find stable matchings of specific properties in a discrete matching market when firms have so-called *responsive* preferences—a special case of substitutable preferences. By contrast, we investigated under what conditions stable

³⁰This is because of the following two facts: (i) Matrix H is totally unimodular if and only if $[H, I]$ is unimodular (I is the identity matrix). (ii) Any column submatrix of a unimodular matrix is unimodular again. Fact (i) implies the unimodularity of $[\mathcal{D}, I]$. Thus, fact (ii) implies the unimodularity of $[B_1^* - B_2^*, B_5^*]$ since $B_1^* - B_2^*$ is an element of \mathcal{D} and B_5^* is a column from I .


³¹Since subtracting one column from another column leaves the determinant unchanged, we know that $\{B_1, B_2, B_3, B_5\} \cup \{(0, 0, 1, 0, 0)\}$ is also an integral basis for \mathbb{R}^5 , with determinant ± 1 .

matching exists in the market with complementarities. Second, the LP method uses the definition of stable matching to define a polytope whose vertices are the stable matchings of the market. Then the problems of optimal marriage and median stable matching reduce to linear programs. By contrast, we address our problem by constructing a fictitious market where each worker is divisible and by investigating the stable integral matchings of this market. We incorporate the results of CKK and tools from integer programming to obtain our results.

4. APPLICATION

This section presents an application of matching firms with specialists, which has a practical economic meaning. We describe the structure of firms' acceptable sets of workers as a directed rooted tree, which we call technology tree. Each vertex of the technology tree represents a technology that requires a set of workers to implement. Each edge of the tree is an upgrade from one technology to another that requires more workers. A worker is called a specialist if she engages in only one upgrade. We show that the firms' demand type is totally unimodular when firms have unit-demand preferences over the technologies of a technology tree where each worker is a specialist. We first provide an illustrative example as follows.

EXAMPLE 8. Consider a market with two firms f_1, f_2 and four workers w_1, w_2, w_3, w_4 . A technology tree is depicted as




Each vertex from $\{v_0, v_1, v_2, v_3\}$ represents a technology that requires the set of workers on the right to implement. The root v_0 represents no technology and requires no worker. Each directed edge is an upgrade from one technology to another, where more workers should be employed to implement the upgrade. If $e = vv'$ is an edge from vertex v to vertex v' , where w is not demanded by v but demanded by v' , we say that w engages in the upgrade e or vv' . For example, w_1 and w_2 both engage in upgrade v_0v_1 . Each firm possesses some of the technologies and has a preference order over the technologies it possesses, which induces its preference over the sets of workers required for the technologies. For instance, f_1 may possess v_1 and v_2 ; f_2 may possess v_1 and v_3 ; and v_0 is trivially possessed by both firms. f_1 and f_2 may have the preferences

$$\begin{aligned}
 f_1 : \{w_1, w_2\} &> \{w_3\} > \emptyset \\
 f_2 : \{w_3, w_4\} &> \{w_1, w_2\} > \emptyset.
 \end{aligned}
 \tag{4.1}$$

With firms' preferences induced in this way, we find that the firms' demand type is totally unimodular when the technology tree satisfies the condition

$$\text{each worker is a specialist who engages in only one upgrade.} \tag{4.2}$$

For example, given that w_1 engages in upgrade v_0v_1 , this condition requires that w_1 cannot engage in other upgrades. When firms' acceptable sets of workers are from a technology tree that satisfies this condition, the firms' demand type is totally unimodular since its elements form a *network matrix* (Tutte, 1965; see also Chapter 19.3 of Schrijver, 1986). See an illustration in Section A.3. To see the role of (4.2), consider the firms' preference profile in (1.1). There are two possible structures for the technology tree that induces the firms' preferences:



Both technology trees violate condition (4.2): On the first tree, w_1 engages in both upgrades v_0v_1 and v_2v_3 . On the second tree, w_1 engages in both upgrades v_0v_1 and v_0v_3 .

Formally, a *technology tree* $T = (V, E, W)$ is a directed rooted tree (V, E) defined on a set of workers W ; $V = \{v_0, v_1, \dots, v_l\}$ is a set of vertices with v_0 as the root. Each vertex $v \in V$ represents a technology that requires a subset of workers $W^v \subseteq W$ to implement. The root v_0 represents no technology and requires no worker: $W^{v_0} = \emptyset$. E is a set of directed edges, all of which point away from the root. For each edge $e \in E$ from vertex v to vertex v' , $W^v \subset W^{v'}$, and we let $W^e = W^{v'} \setminus W^v$. We say that worker w is a *specialist* in T if she engages in only one upgrade: $|\{e \in E \mid w \in W^e\}| = 1$. We study firms' preferences where each firm wants to hire one set of workers from a common technology tree.

DEFINITION 6. Firms have unit-demand preferences over a technology tree $T = (V, E, W)$ if for each $f \in F$ and each $S \subseteq W$, $S \succ_f \emptyset$ implies $S = W^v$ for some $v \in V$.

In words, firms have unit-demand preferences over a technology tree if those sets of workers not on the tree are not acceptable for all firms. Each firm wants to employ one set from the technology tree and can have arbitrary preference order over the sets of workers on the tree.³² We then have the following theorem.

³²Note that if a firm has preference $\{w_3\} \succ \{w_3, w_4\} \succ \emptyset$ in Example 8, this preference is essentially equivalent to $\{w_3\} \succ \emptyset$.

THEOREM 2. *The firms' demand type is totally unimodular if firms have unit-demand preferences over a technology tree where each worker is a specialist.*

Therefore, we know that a stable matching always exists when firms have unit-demand preferences over a technology tree where each worker is a specialist. Studying this problem motivated a subsequent work of the author that generalizes condition (4.2) and the unit demand of technologies. Both generalizations allow firms' demand types that are not totally unimodular.

APPENDIX

A.1 Proofs of the lemmata

PROOF OF LEMMA 1. (a) Revealed preference property. For any $\mathbf{x}, \tilde{\mathbf{x}} \in [0, 1]^W$ with $\tilde{\mathbf{x}} \leq \mathbf{x}$ and $\widehat{\text{Ch}}_f(\mathbf{x}) \leq \tilde{\mathbf{x}}$, consider the procedures (3.1) that compute $\widehat{\text{Ch}}_f(\mathbf{x})$ and $\widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$. Let $(t_k)_{k=1}^L$ and $(\mathbf{z}^k)_{k=1}^L$ be the parameters in computing $\widehat{\text{Ch}}_f(\mathbf{x})$. Let $(\tilde{t}_k)_{k=1}^L$ and $(\tilde{\mathbf{z}}^k)_{k=1}^L$ be the parameters in computing $\widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$.

Since $\tilde{\mathbf{x}} \leq \mathbf{x}$, we have $\tilde{t}_1 \leq t_1$. Suppose $\tilde{t}_1 < t_1$. Then we have $\widehat{\text{Ch}}_f(\mathbf{x}) \geq t_1 \mathbf{u}^1$ but $\tilde{\mathbf{x}} \geq t_1 \mathbf{u}^1$ does not hold. This contradicts $\widehat{\text{Ch}}_f(\mathbf{x}) \leq \tilde{\mathbf{x}}$. Thus, we have $t_1 = \tilde{t}_1$, and then $\tilde{\mathbf{z}}^1 \leq \mathbf{z}^1$.

Suppose for all $j \in \{1, 2, \dots, k-1\}$, we have $t_j = \tilde{t}_j$ and $\mathbf{z}^j \geq \tilde{\mathbf{z}}^j$. Then, since $\mathbf{z}^{k-1} \geq \tilde{\mathbf{z}}^{k-1}$, we have $\tilde{t}_k \leq t_k$. Suppose $\tilde{t}_k < t_k$. Then we have $\widehat{\text{Ch}}_f(\mathbf{x}) \geq \sum_{j=1}^k t_j \mathbf{u}^j$ but $\tilde{\mathbf{x}} \geq \sum_{j=1}^k t_j \mathbf{u}^j$ does not hold. This contradicts $\widehat{\text{Ch}}_f(\mathbf{x}) \leq \tilde{\mathbf{x}}$. Thus, we have $t_k = \tilde{t}_k$ and $\tilde{\mathbf{z}}^k \leq \mathbf{z}^k$.

According to the above inductive arguments, the procedures that compute $\widehat{\text{Ch}}_f(\mathbf{x})$ and $\widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$ coincide, and we have $\widehat{\text{Ch}}_f(\mathbf{x}) = \widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$.

(b) Continuity. For any $\mathbf{x}, \tilde{\mathbf{x}} \in [0, 1]^W$, let $r(\mathbf{x}, \tilde{\mathbf{x}}) = \max_{w \in W} |x(w) - \tilde{x}(w)|$ be the maximum metric. Consider the procedures (3.1) that compute $\widehat{\text{Ch}}_f(\mathbf{x})$ and $\widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$, where $r(\mathbf{x}, \tilde{\mathbf{x}}) < v$. Let $(t_k)_{k=1}^L$ and $(\mathbf{z}^k)_{k=1}^L$ be the parameters in computing $\widehat{\text{Ch}}_f(\mathbf{x})$. Let $(\tilde{t}_k)_{k=1}^L$ and $(\tilde{\mathbf{z}}^k)_{k=1}^L$ be the parameters in computing $\widehat{\text{Ch}}_f(\tilde{\mathbf{x}})$.

Since $r(\mathbf{x}, \tilde{\mathbf{x}}) < v$, we have $|t_1 - \tilde{t}_1| < v$ and $r(t_1 \mathbf{u}^1, \tilde{t}_1 \mathbf{u}^1) < v$. Then $r(\mathbf{z}^1, \tilde{\mathbf{z}}^1) = \max_{w \in W} |x(w) - \tilde{x}(w) - t_1 \mathbf{u}^1(w) - \tilde{t}_1 \mathbf{u}^1(w)| < 2v$.

We then establish the following inductive arguments. Suppose we have $|t_j - \tilde{t}_j| < 2^{j-1}v$ and $r(\mathbf{z}^j, \tilde{\mathbf{z}}^j) < 2^jv$ for all $j \in \{1, 2, \dots, k-1\}$. Then we have $|\sum_{j=1}^{k-1} t_j - \sum_{j=1}^{k-1} \tilde{t}_j| < (2^{k-1} - 1)v$. We then consider four cases:

- (i) $\sum_{j=1}^k t_j < 1$ and $\sum_{j=1}^k \tilde{t}_j < 1$. Since $r(\mathbf{z}^{k-1}, \tilde{\mathbf{z}}^{k-1}) < 2^{k-1}v$, we have $|t_k - \tilde{t}_k| < 2^{k-1}v$.
- (ii) $\sum_{j=1}^k t_j = \sum_{j=1}^k \tilde{t}_j = 1$. We have $|t_k - \tilde{t}_k| < (2^{k-1} - 1)v$.
- (iii) $\sum_{j=1}^k t_j = 1$ and $\sum_{j=1}^k \tilde{t}_j < 1$. We have $\sum_{j=1}^k \tilde{t}_j = \sum_{j=1}^{k-1} \tilde{t}_j + \tilde{t}_k < 1 = \sum_{j=1}^{k-1} t_j + t_k$ and, thus, $t_k - \tilde{t}_k > \sum_{j=1}^{k-1} \tilde{t}_j - \sum_{j=1}^{k-1} t_j > -(2^{k-1} - 1)v$. Since $r(\mathbf{z}^{k-1}, \tilde{\mathbf{z}}^{k-1}) < 2^{k-1}v$ and $\sum_{j=1}^k \tilde{t}_j < 1$ also imply $t_k < \tilde{t}_k + 2^{k-1}v$, we have $|t_k - \tilde{t}_k| < 2^{k-1}v$.
- (iv) $\sum_{j=1}^k t_j < 1$ and $\sum_{j=1}^k \tilde{t}_j = 1$. This is symmetric to (iii) and we also have $|t_k - \tilde{t}_k| < 2^{k-1}v$.

According to the above inductive arguments, for each $j \in \{1, 2, \dots, L\}$, we have $|t_j - \tilde{t}_j| < 2^{j-1}v$ and then $r(t_j \mathbf{u}^j, \tilde{t}_j \mathbf{u}^j) < 2^{j-1}v$. We have $r(\widehat{\text{Ch}}_f(\mathbf{x}), \widehat{\text{Ch}}_f(\tilde{\mathbf{x}})) < (2^L - 1)v$.

Therefore, for any $\epsilon > 0$, there exists $\delta = \epsilon / [(2^L - 1)\sqrt{n}]$ such that $\|\mathbf{x} - \tilde{\mathbf{x}}\| < \delta$ implies $r(\mathbf{x}, \tilde{\mathbf{x}}) < \delta$, and then $r(\widehat{\text{Ch}}_f(\mathbf{x}), \widehat{\text{Ch}}_f(\tilde{\mathbf{x}})) < \epsilon / \sqrt{n}$, which further implies $\|\widehat{\text{Ch}}_f(\mathbf{x}) - \widehat{\text{Ch}}_f(\tilde{\mathbf{x}})\| < \epsilon$.³³ \square

PROOF OF LEMMA 2. Since M is an integral matching in $\widehat{\Gamma}$, there exists $f \in \tilde{F}$ such that $M_f(w) = 1$ for each $w \in W$ and, thus, μ is a matching in Γ .

We then prove that for any integral $\mathbf{x} \in \{0, 1\}^W$, $\widehat{\text{Ch}}_f(\mathbf{x}) = \text{Ch}_f(\mathbf{x})$. Let $j \in \{1, 2, \dots, L\}$ be the index such that $\mathbf{u}^j \leq \mathbf{x}$, and $\mathbf{u}^k \leq \mathbf{x}$ does not hold for all $k < j$. (If such j does not exist, we have $\widehat{\text{Ch}}_f(\mathbf{x}) = \text{Ch}_f(\mathbf{x}) = \mathbf{0}$.) Then we have $t_k = 0$ for all $k < j$, $t_j = 1$, and $t_k = 0$ for all $j < k \leq L$. Therefore, we have $\widehat{\text{Ch}}_f(\mathbf{x}) = \text{Ch}_f(\mathbf{x}) = \mathbf{u}^j$.

Let $M = (M_f)_{f \in \tilde{F}}$ be a stable integral matching in a continuum market $\widehat{\Gamma}$. Let μ be the matching in Γ such that $\mu(w) = f$ and $w \in \mu(f)$ if $M_f(w) = 1$ for each $w \in W$ and $f \in \tilde{F}$.

(a) Individual rationality. For any $f \in F$, since M_f is integral, we have $\widehat{\text{Ch}}_f(M_f) = \text{Ch}_f(M_f)$. The individual rationality of firms in M in $\widehat{\Gamma}$ implies that for each $f \in F$, $M_f = \widehat{\text{Ch}}_f(M_f) = \text{Ch}_f(M_f)$. Because the set of workers available at workers (M_f) is precisely $\mu(f)$, we have $\mu(f) = \text{Ch}_f(\mu(f))$. The individual rationality of workers in M in $\widehat{\Gamma}$ also implies the individual rationality of workers in μ .

(b) No blocking coalition. Suppose f and a subset of workers $S \subseteq W$ block μ in Γ , where $\text{ind}(S) = M'$. Since $S \succ_f \mu(f)$ in Γ , we have $\widehat{\text{Ch}}_f(M' \vee M) = \text{Ch}_f(M' \vee M) \neq M$. Then by the revealed preference property, we have $\widehat{\text{Ch}}_f(M' \vee M) \succ_f M$ in $\widehat{\Gamma}$. Since $f \succeq_w \mu(w)$ for all $w \in S$ in Γ , then $\widehat{\text{Ch}}_f(M' \vee M) \leq M' \vee M \leq A^{\leq f}(M)$. Thus, f and $\widehat{\text{Ch}}_f(M' \vee M)$ block M in $\widehat{\Gamma}$. A contradiction. \square

PROOF OF LEMMA 3. We first prove the following two lemmata. Given a subpopulation $\mathbf{x} \in [0, 1]^W$, let integral $(\mathbf{x}) = \mathbf{y} \in \{0, 1\}^W$, where $y(w) = 0$ if $x(w) = 0$ and $y(w) = 1$ if $x(w) > 0$ for each $w \in W$. Given a pseudo-matching M , for each $f \in F$ we still define $A^{\leq f}(M)$ by (3.3). Let $A^{< f}(M) \in [0, 1]^W$ be the subpopulation such that $A^{< f}(M)(w) = \sum_{f' \in \tilde{F}: f \succ_w f'} M_{f'}(w)$ for each $w \in W$; $A^{< f}(M)$ is the subpopulation of workers assigned to some firm worse than f in M according to their preferences. Note that $A^{< f}(M) + M_f = A^{\leq f}(M)$ for each $f \in F$.

LEMMA 4. Let M be a pseudo-matching and let there be a firm $f' \in F$ such that $\widehat{\text{Ch}}_{f'}(M_{f'}) = M_{f'}$. Consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M_{f'}) = \sum_{j=1}^L t_j \mathbf{u}^j$. There exists a blocking coalition that involves f' if and only if there exists $k \in \{1, 2, \dots, L\}$ such that $\sum_{j=1}^k t_j < 1$ and $\mathbf{u}^k \leq \text{integral}(A^{< f'}(M))$.

PROOF. \Leftarrow The inequality $\mathbf{u}^k \leq \text{integral}(A^{< f'}(M))$ implies that there exists $\epsilon > 0$ such that $\epsilon \mathbf{u}^k \leq A^{< f'}(M)$. Then the revealed preference property and $\sum_{j=1}^k t_j < 1$ imply $\widehat{\text{Ch}}_{f'}(\epsilon \mathbf{u}^k + M_{f'}) = \widehat{\text{Ch}}_{f'}[\widehat{\text{Ch}}_{f'}(\epsilon \mathbf{u}^k + M_{f'}) \vee M_{f'}] \neq M_{f'}$. We also have $\widehat{\text{Ch}}_{f'}(\epsilon \mathbf{u}^k + M_{f'}) \leq \epsilon \mathbf{u}^k + M_{f'} \leq A^{< f'}(M) + M_{f'} = A^{\leq f'}(M)$. Hence, f' and $\widehat{\text{Ch}}_{f'}(\epsilon \mathbf{u}^k + M_{f'})$ form a blocking coalition.

³³ $\|\cdot\|$ is the Euclidean distance.

\Rightarrow If $t_1 = 1$, then $M_{f'} = \mathbf{u}^1$ and there is no blocking coalition that involves f' . Thus, there exists $k \in \{1, 2, \dots, L\}$ such that $\sum_{j=1}^k t_j < 1$. Suppose for all such k , $\mathbf{u}^k \leq \text{integral}(A^{\prec f'}(M))$ does not hold. Then consider the procedures (3.1) that compute $\widehat{\text{Ch}}_{f'}(M_{f'})$ and $\widehat{\text{Ch}}_{f'}(A^{\preceq f'}(M)) = \sum_{j=1}^L \widehat{t}_j \mathbf{u}^j$. Since $A^{\preceq f'}(M) = M_{f'} + A^{\prec f'}(M)$ and $\mathbf{u}^k \leq \text{integral}(A^{\prec f'}(M))$ does not hold for all k when $\sum_{j=1}^k t_j < 1$, we know that $t_j = \widehat{t}_j$ for all $j \in \{1, 2, \dots, L\}$. Thus, we have $\widehat{\text{Ch}}_{f'}(M_{f'}) = \widehat{\text{Ch}}_{f'}(A^{\preceq f'}(M))$ and by the revealed preference property, there is no blocking coalition that involves f' . \square

LEMMA 5. Let M be a stable pseudo-matching. Choose $f' \in F$ and let M' be a pseudo-matching such that $M'_{f'}(w) = 0$ if $M_{f'}(w) = 0$ for each $w \in W$ and $M'_f = M_f$ for all $f \neq f'$. Then there exists no blocking coalition that involves $f \neq f'$ in M' .

PROOF. For any $f \neq f'$, consider the procedure (3.1) that computes $\text{Ch}_f(M_f) = \text{Ch}_f(M'_f) = \sum_{j=1}^L t_j \mathbf{u}^j$. Since M is stable, by Lemma 4 for all $k \in \{1, 2, \dots, L\}$ such that $\sum_{j=1}^k t_j < 1$, $\mathbf{u}^k \leq \text{integral}(A^{\prec f}(M))$ does not hold. Since $M'_{f'}(w) = 0$ if $M_{f'}(w) = 0$, we have $\text{integral}(A^{\prec f}(M')) \leq \text{integral}(A^{\prec f}(M))$. Therefore, for all $k \in \{1, 2, \dots, L\}$ such that $\sum_{j=1}^k t_j < 1$, $\mathbf{u}^k \leq \text{integral}(A^{\prec f}(M'))$ does not hold for all $f \neq f'$. By Lemma 4, there exists no blocking coalition that involves $f \neq f'$ in M' . \square

In each of the three transformations, since we set $M'_f(w) = 1$ only when $M_f(w) > 0$ for each $f \in \widetilde{F}$ and each $w \in W$, the workers' individual rationality holds for M' from the individual rationality of M . It is also straightforward to see that the firms' individual rationality also holds. By Lemma 5, in each of the type-1 and type-2 transformations, there exists no blocking coalition that involves $f \neq f'$ in M' . Let $\mathbf{u}^1 > \mathbf{u}^2 > \dots > \mathbf{u}^L > \mathbf{0}$ be the preference order of firm f' over its acceptable sets of workers in Γ .

Type 1. Suppose in M' there exists a blocking coalition that involves f' . Consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M'_{f'}) = \sum_{j=1}^L t'_j \mathbf{u}^j$. Since $M'_{f'} = \mathbf{0}$, then $t'_j = 0$ for all $j \in \{1, 2, \dots, L\}$. By Lemma 4, there exists $k \in \{1, 2, \dots, L\}$ such that $\mathbf{u}^k \leq \text{integral}(A^{\prec f'}(M')) = \text{integral}(A^{\prec f'}(M))$. Consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M_{f'}) = \sum_{j=1}^L t_j \mathbf{u}^j$. Since $\sum_{j=1}^L t_j < 1$ and there exists $k \in \{1, 2, \dots, L\}$ such that $\mathbf{u}^k \leq \text{integral}(A^{\prec f'}(M))$, by Lemma 4, M is not stable. A contradiction.

Type 2. Suppose in M' there exists a blocking coalition that involves f' . Consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M'_{f'}) = \sum_{j=1}^L t'_j \mathbf{u}^j$. Since $M'_{f'} = \mathbf{u}^k$, by Lemma 4, there exists $k' < k$ such that $\mathbf{u}^{k'} \leq \text{integral}(A^{\prec f'}(M'))$. Then consider the procedure (3.1) that computes $\widehat{\text{Ch}}_{f'}(M_{f'}) = \sum_{j=1}^L t_j \mathbf{u}^j$. Since $t_k > 0$, we have $\sum_{j=1}^{k'} t_j < 1$ and $\mathbf{u}^{k'} \leq \text{integral}(A^{\prec f'}(M')) = \text{integral}(A^{\prec f'}(M))$. By Lemma 4, M is not stable. A contradiction.

Type 3. If we set $M'_\emptyset(w') = 0$ for some $w' \in W$ such that $M_\emptyset(w') \in (0, 1)$, then for each $f \in F$, $A^{\preceq f}(M') \leq A^{\preceq f}(M)$. Any $f \in F$ that can form a blocking coalition with some M'_f in M' can also form a blocking coalition with M'_f in M .

If we set $M'_\emptyset(w') = 1$ for some $w' \in W$ such that $M_\emptyset(w') \in (0, 1)$, then for any $f \in F$, $\text{integral}(A^{\prec f}(M)) = \text{integral}(A^{\prec f}(M'))$. If there exists a blocking coalition that involves f in M' , then by Lemma 4, there also exists a blocking coalition that involves f in M . \square

A.2 Proof of Theorem 1

The proof of Theorem 1 is illustrated by Example 7. Every matching market Γ induces a continuum market $\widehat{\Gamma}$, where Lemma 1 and the existence theorem of CKK indicate that a stable matching M is guaranteed to exist in $\widehat{\Gamma}$. For each $f \in F$, consider the procedure (3.1) that computes $\widehat{Ch}_f(M_f) = \sum_{j=1}^L t_j \mathbf{u}^j = M_f$, where the last equality is implied by the individual rationality of firms in M . We construct matrices $\{B^{*f}\}_{f \in F}$ as

$$B^{*f} = \begin{cases} [\mathbf{u}^{k_1}, \mathbf{u}^{k_2}, \dots, \mathbf{u}^{k_s}], & \text{if } \sum_{j=1}^L t_j = 1 \\ [\mathbf{u}^{k_1}, \mathbf{u}^{k_2}, \dots, \mathbf{u}^{k_s}, \mathbf{0}], & \text{if } \sum_{j=1}^L t_j < 1, \end{cases} \tag{A.3}$$

where $t_l > 0$ for each $l \in \{k_1, k_2, \dots, k_s\}$ and $k_1 < k_2 < \dots < k_s$.³⁴

We then construct matrix B^\emptyset and B^f for each $f \in F$. Each column of B^\emptyset is an $(|F| + |W|)$ -dimensional unit vector, where the $(|F| + j)$ th unit vector is in B^\emptyset if $M_\emptyset(w_j) > 0$.³⁵ We construct B^f from B^{*f} for each $f \in F$. Each B^f has $|F| + |W|$ rows, where the first $|F|$ components of each column are the components of the i th unit vector of dimension $|F|$ when $f = f_i$. The last $|W|$ components of each column of B^f are those of each column of B^{*f} . Thus the number of columns of each B^f is s or $s + 1$ in its corresponding formula (A.3). Then let matrix $B = [B^{f_1}, B^{f_2}, \dots, B^{f_{|F|}}, B^\emptyset]$. Let $cl(f)$ be the number of columns of B^f for each $f \in \widetilde{F}$. Thus, B is an $(|F| + |W|) \times \sum_{f \in \widetilde{F}} cl(f)$ matrix. Theorem 1 is then implied by the following lemma and Lemma 2.

LEMMA 6. Consider the system of linear equations $B\mathbf{z} = \mathbf{1}$, where \mathbf{z} is a $\sum_{f \in \widetilde{F}} cl(f)$ -dimensional vector and $\mathbf{1}$ is the $(|F| + |W|)$ -dimensional vector with all its coordinates being 1. If the firms' demand type \mathcal{D} is totally unimodular, then there exists a solution $\mathbf{z} = (\mathbf{z}^{f_1}, \mathbf{z}^{f_2}, \dots, \mathbf{z}^{f_{|F|}}, \mathbf{z}^\emptyset) \in \{0, 1\}^{\sum_{f \in \widetilde{F}} cl(f)}$ to $B\mathbf{z} = \mathbf{1}$, where \mathbf{z}^f is a $cl(f)$ -dimensional vector for each $f \in \widetilde{F}$.³⁶ Moreover, M' is a stable integral matching in $\widehat{\Gamma}$, where $M'_f = \sum_{j=1}^{cl(f)} z_j^f B_j^{*f}$ for each $f \in \widetilde{F}$.³⁷

³⁴In (A.3), for each $l \in \{k_1, k_2, \dots, k_s\}$, \mathbf{u}^l is a column of matrix B^{*f} ; B^{*f} is an $|W| \times s$ or $|W| \times (s + 1)$ matrix. The numbers $\{k_1, k_2, \dots, k_s\}$ and s are different for different firms.

³⁵The $(|F| + j)$ th unit vector is the $(|F| + |W|)$ -dimensional unit vector with its $(|F| + j)$ th coordinate being 1. In Example 7, B^\emptyset is the matrix with a single column B_5 .

³⁶By $\mathbf{z} = (\mathbf{z}^{f_1}, \mathbf{z}^{f_2}, \dots, \mathbf{z}^{f_{|F|}}, \mathbf{z}^\emptyset)$, we mean the first $cl(f_1)$ components of \mathbf{z} are the components of \mathbf{z}^{f_1} , the $(cl(f_1) + 1)$ th to $(cl(f_1) + cl(f_2))$ th components are the components of \mathbf{z}^{f_2} , and so on. In Example 7, $\mathbf{z} = (1, 0, 0, 1, 1)$ is such a solution where $\mathbf{z}^{f_1} = (1, 0)$, $\mathbf{z}^{f_2} = (0, 1)$, and $\mathbf{z}^\emptyset = 1$.

³⁷ B_j^{*f} is the vector of the j th column of B^{*f} .

PROOF. We first show that the polytope $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$ is nonempty. For each $f \in F$, consider the procedure (3.1) that computes $\widehat{\text{Ch}}_f(M_f) = \sum_{j=1}^L t_j \mathbf{u}^j = M_f$ and let

$$\widehat{\mathbf{z}}^f = \begin{cases} (t_{k_1}, t_{k_2}, \dots, t_{k_s}), & \text{if } \sum_{j=1}^L t_j = 1 \\ \left(t_{k_1}, t_{k_2}, \dots, t_{k_s}, 1 - \sum_{i=1}^s t_{k_i} \right), & \text{if } \sum_{j=1}^L t_j < 1, \end{cases}$$

where k_1, k_2, \dots, k_s are those in (A.3). Let $\widehat{\mathbf{z}}^\emptyset$ be the $\text{cl}(\emptyset)$ -dimensional vector where $\widehat{z}_l^\emptyset = M_\emptyset(w_j)$ if \mathbf{b}_l^\emptyset is the $(|F| + j)$ th unit vector for each $l \in \{1, \dots, \text{cl}(\emptyset)\}$. Let B^{**} be the matrix constituted of the first $|F|$ rows of B , and let B^* be the matrix constituted of the last $|W|$ rows of B . Let $\widehat{\mathbf{z}} = (\widehat{\mathbf{z}}^f, \widehat{\mathbf{z}}^f, \dots, \widehat{\mathbf{z}}^f, \widehat{\mathbf{z}}^\emptyset)$. $\sum_{i=1}^{\text{cl}(f)} \widehat{z}_i^f = 1$ for each $f \in F$ implies $B^{**}\widehat{\mathbf{z}} = \mathbf{1}$, and $\sum_{f \in \widetilde{F}} M_f(w) = 1$ for each $w \in W$ implies $B^*\widehat{\mathbf{z}} = \mathbf{1}$. Hence, we know $\widehat{\mathbf{z}}$ is in $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$.

If matrix B is unimodular, all vertices of polytope $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$ are integral (Hoffman and Kruskal, 1956; see also Theorem 21.5 of Schrijver, 1986). Then, since the polytope is nonempty, we know that there is at least an integral vertex on this polytope. We now show that B is unimodular if the firms' demand type \mathcal{D} is totally unimodular. For any linearly independent subset \widehat{B} of columns from B , we partition \widehat{B} into $\widehat{B} = \cup_{f \in \widetilde{F}} \widehat{B}^f$, where \widehat{B}^f is the collection of vectors of \widehat{B} from B^f for each $f \in \widetilde{F}$. \widehat{B}^f is possibly empty for some $f \in \widetilde{F}$.³⁸ Let $\mathbf{b}_1^f, \mathbf{b}_2^f, \dots$ denote the elements of \widehat{B}^f for each $f \in \widetilde{F}$ if \widehat{B}^f is not empty. For each $i \in \{1, \dots, |F|\}$, if \widehat{B}^{f_i} is empty, let $\mathbf{b}_1^{f_i}$ be the i th unit vector of $|F| + |W|$ dimensions. For each $f \in F$, let $B^f = \{\mathbf{b}_2^f - \mathbf{b}_1^f, \mathbf{b}_3^f - \mathbf{b}_1^f, \dots\}$ if there are at least two elements in \widehat{B}^f , and let $B^f = \emptyset$ otherwise. Let $\widetilde{B}_F = (\cup_{f \in F} B^f)$ and $\widetilde{B} = (\cup_{f \in F} B^f) \cup \widehat{B}^\emptyset$. Note that the first $|F|$ coordinates of each vector from \widetilde{B}_F and \widetilde{B} are 0. Let \widetilde{B}_F^* and \widetilde{B}^* be the set of $|W|$ -dimensional vectors by removing the first $|F|$ components of each vector from \widetilde{B}_F and \widetilde{B} , respectively. If \mathcal{D} is totally unimodular, then \widetilde{B}_F^* is totally unimodular. According to the reason stated in footnote 30, \widetilde{B}^* is unimodular. Thus, \widetilde{B}^* can be extended to a basis for \mathbb{R}^W , of integer vectors, with determinant ± 1 . Then, the set $\{\mathbf{b}_1^{f_1}, \mathbf{b}_1^{f_2}, \dots, \mathbf{b}_1^{f_{|F|}}\} \cup \widetilde{B}$ can be extended to a basis for $\mathbb{R}^{F \cup W}$, of integer vectors, with determinant ± 1 . Since adding one column to another column leaves the determinant unchanged, such extension also exists for $\{\mathbf{b}_1^{f_1}, \mathbf{b}_1^{f_2}, \dots, \mathbf{b}_1^{f_{|F|}}\} \cup \widehat{B}$, which can be extended from \widehat{B} . Therefore, B is unimodular.

Now we know there is at least an integral vertex on the polytope $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$ when the firms' demand type \mathcal{D} is totally unimodular. According to the structure of matrix B , any nonnegative integral solution to $B\mathbf{z} = \mathbf{1}$ must be a 0-1 vector. Let $\mathbf{z} = (\mathbf{z}^f, \mathbf{z}^f, \dots, \mathbf{z}^f, \mathbf{z}^\emptyset)$ be an integral point of $\{\mathbf{z} \mid B\mathbf{z} = \mathbf{1}, \mathbf{z} \geq 0\}$, where \mathbf{z}^f is a $\text{cl}(f)$ -dimensional vector for each $f \in \widetilde{F}$. Let M' be the integral pseudo-matching in $\widehat{\Phi}$, where $M'_f = \sum_{j=1}^{\text{cl}(f)} z_j^f B_j^{*f}$ for each $f \in \widetilde{F}$. Because $B^{**}\mathbf{z} = \mathbf{1}$ (i.e., $\sum_{j=1}^{\text{cl}(f)} z_j^f = 1$ for each $f \in F$), we

³⁸For instance, if we consider $\widehat{B} = \{B_1, B_2, B_5\}$ in Example 7, then \widehat{B}^{f_2} is empty. In the following extension to a basis for $\mathbb{R}^{F \cup W}$ from \widehat{B} , we put the i th unit vector of $|F| + |W|$ dimensions into \widehat{B} when \widehat{B}^{f_i} is empty for each $i \in \{1, \dots, |F|\}$.

know that M' can be obtained via stable transformations on M . By Lemma 3, M' is a stable integral pseudo-matching. Since $B^*z = \mathbf{1}$ implies $\sum_{f \in \tilde{F}} M'_f(w) = 1$ for each $w \in W$, we know that M' is a stable integral matching. \square

A.3 Proof of Theorem 2

We present the proof first and then an example to illustrate the proof.

Suppose the firms have unit-demand preferences over a technology tree $T = (V, E, W)$. Let $G = (V, E')$ be a complete directed graph where the set of vertices V is the same as that of T and the direction of each edge $e \in E'$ is arbitrary. We use G and the directed tree (V, E) to define matrix H as follows. For each $e \in E$ and $e' = (v, v') \in E'$,

$$\begin{aligned} H_{e,e'} &= +1 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ passes through } e \text{ forwardly} \\ &= -1 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ passes through } e \text{ backwardly} \\ &= 0 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ does not pass through } e. \end{aligned}$$

H is a network matrix, which is totally unimodular (see, e.g., Chapter 19.3 of Schrijver, 1986).


Because each worker is a specialist in T , we can define e^w to be the unique edge that w engages for each $w \in W$. We use G and the technology tree $T = (V, E, W)$ to define matrix H' as follows. For each $w \in W$ and $e' = (v, v') \in E'$,

$$\begin{aligned} H'_{w,e'} &= +1 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ passes through } e^w \text{ forwardly} \\ &= -1 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ passes through } e^w \text{ backwardly} \\ &= 0 && \text{if the unique } v - v' \text{ path in } (V, E) \text{ does not pass through } e^w. \end{aligned}$$

H' can be obtained from H by repeating some rows. In particular, if $|W^e| = k$ for edge e in the technology tree, then the row of edge e of H is repeated k times in H' . Thus we know that H' is also totally unimodular.

If \mathbf{d} belongs to the demand type of a firm $f \in F$, then either \mathbf{d} is a column of H' or $-\mathbf{d}$ is a column of H' (see an illustration below). Therefore, \mathcal{D} is totally unimodular.

For instance, consider the technology tree in Example 8, and let $G = (V, E')$ be the complete directed graph



The directed graph G and the directed tree (V, E) generate matrix H as

	v_0v_1	v_0v_2	v_0v_3	v_1v_2	v_1v_3	v_2v_3
v_0v_1	1	0	0	-1	-1	0
v_0v_2	0	1	1	1	1	0
v_2v_3	0	0	1	0	1	1

The directed graph G and the technology tree $T = (V, E, W)$ generate matrix H' as

	v_0v_1	v_0v_2	v_0v_3	v_1v_2	v_1v_3	v_2v_3
w_1	1	0	0	-1	-1	0
w_2	1	0	0	-1	-1	0
w_3	0	1	1	1	1	0
w_4	0	0	1	0	1	1

Matrix H' is exactly the matrix that repeats the first row of matrix H . Now we consider the firms' preferences of (4.1). Let H'_j be the j th column of matrix H' . We find that f_1 's demand type is $\{H'_1, H'_2, -H'_4\}$ and f_2 's demand type is $\{H'_1, H'_3, H'_5\}$.

REFERENCES

- Abdulkadiroğlu, Atila, Parag A. Pathak, and Alvin E. Roth (2009), "Strategy-proofness versus efficiency in matching with indifference: Redesigning the NYC high school match." *American Economic Review*, 99, 1954–1978. [37]
- Abdulkadiroğlu, Atila and Tayfun Sönmez (2003), "School choice: A mechanism design approach." *American Economic Review*, 93, 729–747. [37]
- Adachi, Hiroyuki (2000), "On a characterization of stable matchings." *Economic Letters*, 68, 43–49. [40]
- Ágoston, Kolos C., Péter Biró, and Iain McBride (2016), "Integer programming methods for special college admissions problems." *Journal of Combinatorial Optimization*, 32, 1371–1399. [40]
- Alkan, Ahmet and David Gale (2003), "Stable schedule matching under revealed preferences." *Journal of Economic Theory*, 112, 289–306. [46]
- Azevedo, Eduardo M. and John W. Hatfield (2018), "Existence of equilibrium in large matching markets with complementarities." Working paper, <http://dx.doi.org/10.2139/ssrn.3268884>. [41]
- Azevedo, Eduardo M., E. Glen Weyl, and Alexander White (2013), "Walrasian equilibrium in large, quasilinear markets." *Theoretical Economics*, 8, 281–290. [37, 41]
- Baïou, Mourad and Michel Balinski (2000), "The stable admissions polytope." *Mathematical Programming*, 87, 427–439. [40]
- Baldwin, Elizabeth and Paul Klemperer (2019), "Understanding preferences: "Demand types", and the existence of equilibrium with indivisibilities." *Econometrica*, 87, 867–932. [37, 38]

- Biró, Péter, David F. Manlove, and Iain McBride (2014), “The hospitals/residents problem with couples: Complexity and integer programming models.” In *Proceedings of SEA 2014: The 13th International Symposium on Experimental Algorithms*, volume 8504 of LNCS. Springer, New York. [40]
- Blair, Charles (1984), “Every finite distributive lattice is a set of stable matchings.” *Journal of Combinatorial Theory*, 37, 353–356. [47]
- Bogomolnaia, Anna and Hervé Moulin (2001), “A new solution to the random assignment problem.” *Journal of Economic Theory*, 100, 295–328. [45]
- Che, Yeon-Koo, Jinwoo Kim, and Fuhito Kojima (2019), “Stable matching in large economies.” *Econometrica*, 87, 65–110. [37]
- Danilov, Vladimir, Gleb Koshevoy, and Kazuo Murota (2001), “Discrete convexity and equilibria in economics with indivisible goods and money.” *Mathematical Social Sciences*, 41, 251–273. [39, 43]
- Danilov, Vladimir and Gleb Koshevoy (2004), “Discrete convexity and unimodularity-I.” *Advances in Mathematics*, 189, 301–324. [40]
- Echenique, Federico (2012), “Contracts vs. salaries in matching.” *American Economic Review*, 102, 594–601. [41]
- Echenique, Federico and Jorge Oviedo (2004), “Core many-to-one matchings by fixed point methods.” *Journal of Economic Theory*, 115, 358–376. [40, 41]
- Echenique, Federico and Jorge Oviedo (2006), “A theory of stability in many-to-many matching.” *Theoretical Economics*, 1, 233–273. [41]
- Echenique, Federico and M. Bumin Yenmez (2007), “A solution to matching with preferences over colleagues.” *Games and Economic Behavior*, 59, 46–71. [41]
- Echenique, Federico and M. Bumin Yenmez (2015), “How to control controlled school choice.” *American Economic Review*, 105, 2679–2694. [37]
- Fleiner, Tamas (2003), “A fixed-point approach to stable matchings and some applications.” *Mathematics of Operations Research*, 28, 103–126. [40]
- Gale, David and Lloyd S. Shapley (1962), “College admissions and the stability of marriage.” *American Mathematical Monthly*, 69, 9–15. [37]
- Hatfield, John W. and Fuhito Kojima (2010), “Substitutes and stability for matching with contracts.” *Journal of Economic Theory*, 145, 1704–1723. [41]
- Hatfield, John W. and Scott D. Kominers (2015), “Hidden Substitutes.” In *Proceedings of the 16th ACM Conference on Economics and Computation*, 37. [41]
- Hatfield, John W., Scott D. Kominers, Alexandru Nichifor, Michael Ostrovsky, and Alexander Westkamp (2013), “Stability and competitive equilibrium in trading networks.” *Journal of Political Economy*, 121, 966–1005. [39]

- Hatfield, John W. and Paul Milgrom (2005), “Matching with contracts.” *American Economic Review*, 95, 913–935. [41]
- Hoffman, Alan J. and Alan Joseph B. Kruskal (1956), “Integral boundary points of convex polyhedra.” In *Linear Inequalities and Related Systems*, (H. W. Kuhn and A. W. Tucker, eds.), Princeton Univ. Press, New Jersey, 223–246. [51, 58]
- Huang, Chao (2021a), “Unidirectional substitutes and complements.” Working paper, <https://arxiv.org/abs/2108.12572>. [41]
- Huang, Chao (2021b), “Stable matching: An integer programming approach.” Working paper, <https://arxiv.org/abs/2103.03418v1>. [43, 44]
- Kamada, Yuichiro and Fuhito Kojima (2015), “Efficient matching under distributional constraints: Theory and applications.” *American Economic Review*, 105, 67–99. [37]
- Kelso, Alexander S. and Vincent P. Crawford (1982), “Job matching, coalition formation and Gross substitutes.” *Econometrica*, 50, 1483–1504. [37, 39, 44]
- Klaus, Bettina and Flip Klijn (2005), “Stable matchings and preferences of couples.” *Journal of Economic Theory*, 121, 75–106. [41]
- Kojima, Fuhito, Parag A. Pathak, and Alvin E. Roth (2013), “Matching with couples: Stability and incentives in large markets.” *Quarterly Journal of Economics*, 128, 1585–1632. [41]
- Nguyen, Thanh and Rakesh Vohra (2018), “Near-feasible stable matchings with couples.” *American Economic Review*, 108, 3154–3169. [41]
- Ostrovsky, Michael (2008), “Stability in supply chain networks.” *American Economic Review*, 98, 897–923. [39]
- Pycia, Marek (2012), “Stability and preference alignment in matching and coalition formation.” *Econometrica*, 80, 323–362. [41]
- Roth, Alvin E. (1984), “Stability and polarization of interests in job matching.” *Econometrica*, 52, 47–57. [37, 39, 41]
- Roth, Alvin E. (1985), “Conflict and coincidence of interest in job matching: Some new results and open questions.” *Mathematics of Operations Research*, 10, 379–389. [39]
- Roth, Alvin E. (2002), “The economist as engineer: Game theory, experimentation, and computation as tools for design economics.” *Econometrica*, 70, 1341–1378. [37]
- Roth, Alvin E. and Elliott Peranson (1999), “The redesign of the matching market for American physicians: Some engineering aspects of economic design.” *American Economic Review*, 89, 748–780. [37]
- Roth, Alvin E., Uriel G. Rothblum, and John H. Vande Vate (1993), “Stable matching, optimal assignments and linear programming.” *Mathematics of Operations Research*, 18, 808–828. [40]

- Roth, Alvin E. and Marilda Sotomayor (1990), *Two-Sided Matching: A Study in Game-Theoretic Modelling and Analysis*, volume 18 of Econometric Society Monographs. Cambridge University Press, Cambridge England. [42]
- Rothblum, Uriel G. (1992), “Characterization of stable matchings as extreme points of a polytope.” *Mathematical Programming*, 54, 57–67. [40]
- Schrijver, Alexander (1986), *Theory of Linear and Integer Programming*, volume 13 of Wiley-Interscience Series in Discrete Mathematics. John Wiley & Sons, Chichester, UK. [51, 53, 58, 59]
- Sethuraman, Jay, Chung-Piaw Teo, and Liwen Qian (2006), “Many-to-one stable matching: Geometry and fairness.” *Mathematics of Operations Research*, 31, 581–596. [40]
- Sun, Ning and Zaifu Yang (2006), “Equilibria and indivisibilities: Gross substitutes and complements.” *Econometrica*, 74, 1385–1402. [39, 44]
- Sun, Ning and Zaifu Yang (2009), “A double-track adjustment process for discrete markets with substitutes and complements.” *Econometrica*, 77, 933–952. [39]
- Teo, Chung-Piaw and Jay Sethuraman (1998), “The geometry of fractional stable matchings and its applications.” *Mathematics of Operations Research*, 23, 874–891. [40]
- Tran, Ngoc M. and Josephine Yu (2019), “Product-mix auctions and tropical geometry.” *Mathematics of Operations Research*, 44, 1145–1509. [40]
- Tutte, William T. (1965), “Lectures on matroids.” *Journal of Research of the National Bureau of Standards (B)*, 69, 1–47. [reprinted in: Selected Papers of W. T Tutte, Vol. II (D. McCarthy and R. G. Stanton, eds.), Charles Babbage Research Centre, St. Pierre, Manitoba, 1979, pp. 439–496]. [53]
- Vande Vate, John H. (1989), “Linear programming brings marital bliss.” *Operations Research Letters*, 8, 147–153. [40]
- Walter, Matthias and Klaus Truemper (2013), “Implementation of a unimodularity test.” *Mathematical Programming Computation*, 5, 57–73. [43]

Co-editor Federico Echenique handled this manuscript.

Manuscript received 11 April, 2021; final version accepted 16 February, 2022; available online 24 February, 2022.